SCIENTIFIC AMERICAN

[Entered at the Post Office of New York, N. Y., as Second Class matter. Copyrighted, 1892, by Munn & Co.

A WEEKLY JOURNAL OF PRACTICAL INFORMATION, ART, SCIENCE, MECHANICS, CHEMISTRY, AND MANUFACTURES.

Vol. LXVII.—No. 8. ESTABLISHED 1845.

NEW YORK, AUGUST 20, 1892.

$3.00 A YEAR. WEEKLY.







1. Amalgamated Association headquarters, Homestead. 2. Carnegie office, Pittsburg. 3. Street separating workmen's homes from the mills. 4. River front view of Carnegie mills. 5. Carnegie mills and part of Homestead. 6. Attempt to burn barge with Pinkerton men.

THE CARNEGIE STEEL WORKS, HOMESTEAD, PA.—[See page 116.]

Scientific American.

ESTABLISHED 1845.

MUNN & CO., Editors and Proprietors

PUBLISHED WEEKLY AT

No. 361 BROADWAY, NEW YORK.

O. D. MUNN. A. E. BEACH.

TERMS FOR THE SCIENTIFIC AMERICAN.

One copy, one year, for the U. S., Canada or Mexico.....$3 00
One copy, six months, for the U. S., Canada or Mexico..... 1 50
One copy, one year, to any foreign country belonging to Postal Union. 4 00
Remit by postal or express money order, or by bank draft or check.

MUNN & CO., 361 Broadway, corner of Franklin Street, New York.

The Scientific American Supplement

is a distinct paper from the SCIENTIFIC AMERICAN. THE SUPPLEMENT is issued weekly. Every number contains 16 octavo pages, uniform in size with SCIENTIFIC AMERICAN. Terms of subscription for SUPPLEMENT, $5.00 a year, for the U. S., Canada or Mexico. $6.00 a year to foreign countries belonging to the Postal Union. Single copies, 10 cents. Sold by all newsdealers throughout the country. See prospectus, last page.

Combined Rates.—The SCIENTIFIC AMERICAN and SUPPLEMENT will be sent for one year, to any address in U. S., Canada or Mexico, on receipt of *seven dollars*. To foreign countries within Postal Union, *nine dollars a year*.

Building Edition.

THE ARCHITECTS AND BUILDERS EDITION OF THE SCIENTIFIC AMERICAN is a large and splendid illustrated periodical, issued monthly, containing floor plans, perspective views, and sheets of constructive details, pertaining to modern architecture. Each number is illustrated with beautiful plates, showing desirable dwellings, public buildings and architectural work in great variety. To builders and all who contemplate building this work is invaluable. Has the largest circulation of any architectural publication in the world.

Single copies 25 cents. By mail, to any part of the United States, Canada or Mexico, $2.50 a year. To foreign Postal Union countries, $3.00 a year. Combined rate for BUILDING EDITION with SCIENTIFIC AMERICAN, $5.00 a year; combined rate for BUILDING EDITION, SCIENTIFIC AMERICAN and SUPPLEMENT, $9.00 a year. To foreign countries, $11.50 a year.

Spanish Edition of the Scientific American.

LA AMERICA CIENTIFICA E INDUSTRIAL (Spanish trade edition of the SCIENTIFIC AMERICAN) is published monthly, uniform in size and typography with the SCIENTIFIC AMERICAN. Every number of *La America* is profusely illustrated. It is the finest scientific, industrial trade paper printed in the Spanish language. It circulates throughout Cuba, the West Indies, Mexico Central and South America, Spain and Spanish possessions—wherever the Spanish language is spoken. $3.00 a year, post paid to any part of the world. Single copies 25 cents. See prospectus.

MUNN & CO., Publishers,
361 Broadway, New York.

☞ The safest way to remit is by postal order, express money order, draft or bank check. Make all remittances payable to order of MUNN & CO.

☞ Readers are specially requested to notify the publishers in case of any failure, delay, or irregularity in receipt of papers.

NEW YORK, SATURDAY, AUGUST 20, 1892.

Contents.

(Illustrated articles are marked with an asterisk.)

Acids of fruits, the..... 113
Agricultural inventions, new..... 120
Armor plate tests..... 119
Artificial precious stones..... 116
Baby carrier, a*..... 120
Basement, a deep*..... 116
Bleaching processes, improved..... 121
Books and publications, new..... 126
Brushes, cocoanut..... 120
Carnegie Steel Works, Homestead*..... 111
Costa Rica..... 115
Dates, old style and new..... 113
Divining rods*..... 114
Eagles, sea, great*..... 121
Fire engine pump, La France's*..... 115
Fire pump, large stationary steam*..... 119
Four hundred years..... 115
Gas, natural, in Tennessee..... 120
Gold finder, a*..... 114
Herculite, a new explosive..... 120
Homestead, the difficulties at*..... 116
Invention, psychology of..... 113
Inventions, recently patented..... 128
Labor rights and the law..... 119
Mars, Prof. Pickering's observations of..... 117
Mars, the looped path of*..... 116
Measles, the bacillus of..... 115
Mechanical improvements, recent..... 122
Memorial fair coins..... 113
Moon, inner, of Mars, and the earth..... 113
Miner's compass*..... 114
Moon and Mars, the*..... 116
Nash, John, pertinacious..... 115
Ore finder, electrical*..... 114
Patents granted, weekly record.. 128
Percival, George Sydney..... 113
Photography, magnetic..... 118
Plaster, some uses for..... 120
Railroad, a water weight..... 113
Railway appliances, some new... 122
Saws, band, joining..... 116
Smokeless powder..... 113
Steamer Choctaw, steel*..... 115
Steel works, the Homestead*..... 111
Surgical cotton..... 120
Telescope making by an amateur 120
Window sashes, railway..... 119

TABLE OF CONTENTS OF

SCIENTIFIC AMERICAN SUPPLEMENT

No. 868.

For the Week Ending August 20, 1892.

Price 10 cents. For sale by all newsdealers.

PAGE

I. BIOLOGY.—The Bearing of Pathology upon the Doctrine of the Transmission of Acquired Characters.—Weismannism in its relations to pathology.—A very learned and interesting contribution to the foremost topic of biology..... 13869

The Language of Monkeys.—A predecessor of the recent investigator into the speech of monkeys.—An investigation nearly 100 years old, and its results..... 13872

The Surface Film of Water, and its Relation to the Life of Plants and Animals.—By Prof. L. C. MIALL.—Surface tension and animal life.—A most graphic and interesting correlation of physics and biology traced out, with numerous practical examples of nature..... 13871

II. BOTANY.—Calla Pentlandi.—A remarkable and valuable Calla recently awarded a first class tribute from the London Horticultural Society.—1 illustration..... 13874

III. CHEMISTRY.—Acetic Acid from Cellulose and Other Carbohydrates.—By J. F. V. ISAAC.—Commencement of a research into the production of acetic acid, with figures and results up to date. 13879

Aker Tuba (Derris Elliptica), the Malayan Fish Poison.—By LEONARD WRAY, JR.—Analysis of this fish poison with identification of the resinous substance which is the poisonous principle of the plant..... 13873

On the Practical Teaching of Chemistry in Secondary Education.—By GUSTAVE MICHAUD.—The use of chemistry in the curriculum of the lower grade schools, and for the instruction and development of the young mind, with practical suggestions..... 13876

Silica in Plants.—Curious examinations of wheat at different stages of growth, showing the various proportions and forms of silica present..... 13878

Synthesis of Caoutchouc.—A very striking synthesis.—The artificial production of India rubber..... 13878

The Addition of Salicylic Acid to Wine.—Recent court decision in England on the subject of salicylic acid in wine, authorizing its use..... 13877

IV. CIVIL ENGINEERING.—How Artificial Silica Stone is Made.—The manufacture of artificial stone in England, employing sodium silicate.—Details and formulæ..... 13865

Leading the Water of the Avre to Paris.—A most ingenious method of laying of a pipe, utilizing a centering apparatus and electric power.—Details of apparatus and of the joints.—6 illustrations..... 13863

V. ELECTRICITY.—Protecting Dynamos.—By FORBE HAIN.—Practical lightning arresters for dynamos and the conditions necessary for their success.—2 illustrations..... 13868

The Sun a Great Magnet.—By G. D. HISCOX.—A very suggestive and thoughtful paper, touching on the magnetic action of the sun and its role in affecting the magnetic elements of the earth.—3 illustrations..... 13870

VI. GEOLOGY.—On the Causes of the Deformation of the Earth's Crust.—A pictorial investigation of geological disturbances.—13 illustrations..... 13874

VII. MEDICINE AND HYGIENE.—Fatal Result of Water Drinking.—Curious instance of death from over-drinking pure water..... 13868

VIII. MISCELLANEOUS.—The Turtle Industry.—The different turtles of commerce and how they are caught.—Their habits and peculiarities..... 13873

IX. NAVAL ENGINEERING.—Life-Saving Devices.—Some further ingenious and original suggestions for saving of life from shipwrecked vessels.—5 illustrations..... 13864

Note on the Use of Oil in Quelling Waves..... 13875

Seguin Jaquet's Propeller Launch.—A hunting boat for propulsion by rails or screw.—3 illustrations..... 13865

X. PHOTOGRAPHY.—Half-Tone Photo. Block Printing.—By Col. WATERHOUSE.—Details of the half-tone process by a practical photographer.—Different forms of screens and full details of the process..... 13867

XI. TECHNOLOGY.—An Oil-Firing System.—Use of oil for boiler fires, with illustration of the furnace employed.—1 illustration..... 13866

Fuels and their Use.—By J. EMERSON REYNOLDS, M.D.—A recent lecture delivered in London, touching on the subject of petroleum and natural gas as fuels contrasted with coal..... 13866

PSYCHOLOGY OF INVENTION.

In all that has been written on how to invent, methods of invention, suggestions to inventors, etc., the advice usually given when condensed to the fewest words has been, "Keep on thinking." This is good as far as it goes, but thinking, unless it has a basis of knowledge, is valueless. The inventor must deal with existing materials, whether they be thoughts or matter, in various forms. He is no more able to create thoughts than matter. The mind cannot be coerced, new thoughts will not come at command.

If a conception of any subject be carefully investigated, it will be found to have some relation to a former experience. Possibly such experience may have been of such a nature as to produce a mental impression so slight as to be received unconsciously, and still sufficiently strong to develop into a well-defined thought or idea under proper mental conditions.

Invention being practically synonymous with new thoughts, and thoughts being the outgrowth of knowledge, the value of knowledge to the inventor is apparent, even though it may be in the nature of obscure impressions of the memory, vague suggestions from men and things, or broad yet accurate and practical information on any subject.

It is a fact that the mind, when occupied on a given subject, and forced to consider correlated subjects, acquires the penetrating quality which is vital to the success of the inventor.

It is while knowledge is being acquired in any direction that inventions in that line become possible, and conceived under such conditions they possess greater value, because the work is done intelligently and in the light of fundamental knowledge.

The works of such an inventor are ascribed to genius, while they really represent persistent effort supported by knowledge.

The term invention is here applied with its broader meaning, which includes the idea of calling into existence anything based on or originating in a new thought, whether in the realm of science, abstract or applied, or art or letters.

After all, invention is little more than an excursion beyond the boundaries of present knowledge, rendered possible by the accumulated experience of ages past. Progress is hindered by the fact that men re-enact the same things generation after generation, instead of acquiring a knowledge of what has already been accomplished, and, with such knowledge as a basis, pushing forward to new fields.

Inventors who have followed the plan here outlined have achieved both distinction and pecuniary reward, and if the general standard of invention could be raised to this level, results could be accomplished which would overshadow everything done in the past.

There is certainly no limit to the amount of material available. It is only necessary for the inventor to place himself in the proper relation to existing materials to enable him to reach out and take the reward.

THE EARTH AND THE INNER MOON OF MARS.

The scrutiny of the planet Mars by astronomers during the summer of 1892, with the aid of more powerful telescopes and better equipped observatories than have existed at former favorable periods of observation, and the sensational articles concerning this planet and its two little moons that have appeared in the daily papers, have aroused great popular interest in the affairs of the earth's next door neighbor of the solar system.

The satellites are peculiar as being the smallest heavenly bodies whose orbits and sizes have been even approximately determined.

Phobos, the inner moon, having a diameter of about eight miles, is of a size easily comparable with the earth and objects upon the earth's surface, its diameter and circumference being respectively almost exactly one one-thousandth of the earth's diameter and circumference.

Let us suppose everything on the surface of the earth to be reproduced on the surface of Phobos, as men, trees, ships, mountains, rivers, etc., all reduced in size proportionally. It would be only necessary to divide by one thousand the dimensions of any earthly object to ascertain its dimensions as modeled on a Phobian scale.

A man six feet high would, on this scale, stand 0·072 inch of our measure on Phobos, and looking down with our human eyes to find him, we should have to look for an oval object about 0·023 inch diameter in its longest dimension, as we should see only the head and shoulders. A good magnifying glass would be needed to determine the real character of the mere speck that would be visible to an unaided human eye at a distance of two or three feet from the surface, on which it would be seen to crawl with a painfully slow motion.

A few species of our larger birds could be seen in flight without a magnifying glass; only a few, the ostrich, the condor, the swan, could thus be discerned when their wings were not extended.

The altitude of the highest mountains would not exceed thirty, and the profoundest depths of earthly seas yet sounded would be represented by twenty-six of our feet.

A ship of the size of the Great Eastern sailing on a Phobian ocean would be less than 7⅛ inches long. A right whale of average size reduced to our Phobian scale would be less than five-eighths of an inch long.

A railway train of ten vestibule cars with locomotive and tender would have a length of less than six of our inches and its breadth would be represented by a line less than 0·02 of an inch in thickness.

An earthly river, two miles in breadth and one hundred feet deep, would be represented on Phobos by a stream a little more than ten and one-half of our feet in breadth, and one and one-fifth inches in depth. Let this river be frozen over with a sheet of ice four Phobian feet thick, and the ice would be only as thick as a sheet of drawing paper.

A square two and one-half of our inches on each side would represent a Phobian acre of land. A United States postage stamp would cover a space of nearly three Phobian city lots. A city like New York built to the Phobian scale would have streets ranging from four-tenths to one and two-tenths inches wide, and these would pass between buildings ranging from six-tenths of an inch to two and four-tenths inches in height.

Having thus constructed an earth to the scale of Phobos, in which, to unaided human eyes, only the largest quadrupeds and fishes would be visible, wherein we should have to look for all but the largest birds with microscopes, and in which all insect life would be undiscernible by any means at present known to us, Let us suppose an ordinary sized man transferred to its surface.

If a good pedestrian, he could walk over the Phobian equator, circumnavigating the globe, in six of our hours, making strides of three thousand Phobian feet. The soles of his walking boots would be thirty Phobian feet thick. Each hair of his head would be ten Phobian inches in diameter. His feet would be over nine hundred Phobian feet long and about three hundred Phobian feet in breadth. In walking he would raise the toes of his feet above the heads of the Phobians to a height of five hundred feet. If his stature in earthly measurement be taken as five feet ten inches, he would tower into the Phobian sky to a height over one and one-tenth miles.

Enormous giant as such a man would be to our imaginary Phobian, he is, as compared with our globe, no larger than such an inhabitant of that satellite would be as compared with his little world. The truth is, there is no absolute standard of large or small. Size is strictly relative, and the physical man, considered in relation to the universe, is nothing but a material point—a center of vital mental and moral forces, whose effects reach as far beyond the limit of his ken as the universe extends beyond the power of his vision. The life of man is a brief and narrow strip of imperfect light, bordered on either side by impenetrable mystery.

Memorial Fair Coins.

Congress has appropriated two and a half millions of dollars to help the World's Fair, to consist of memorial half dollars, or "Columbian half dollars." The designs of the coin have been selected. The reverse will show the main building of the exposition, and the obverse the head of Columbus. The plaster cast of Columbus was made by A. S. J. Dunbar, sculptor, of Washington, from a portrait which is recognized by experts as being as nearly authentic as any that exists, and is believed to have been painted for Domenico Malipiero, a Venetian senator and historian, in 1501. This portrait, with a well-traced history approving its antiquity, was recently purchased by the United States Consul-General at Frankfort, Germany, for Mr. James V. Ellsworth, of Chicago. The work of coining the souvenir "Columbian half dollars" will occupy a month or six weeks.

The bill also provides for the striking of 50,000 bronze medals, with appropriate devices and emblems, at a cost of $30,000, and 50,000 vellum impressions for diplomas at a cost of $43,000.

A Water Weight Railroad.

A novel form of inclined railway has been built at Bridgenorth, England. It connects the upper and lower parts of the town, communication between which was formerly provided by means of steps cut in the solid rock. The length of the track is only 201 feet, but its vertical rise is 111 feet. There are two cars, on separate lines of rail, and they are connected by a steel cable passing round a wheel at the top. They are thus balanced, and a preponderating weight is given, whichever one is at the top, by pumping a supply of water into a tank placed in the frame of the car. The steel rails are secured to ties which are bolted to the solid rock and also embedded in concrete. The brakes are normally on the wheels, and motion is only possible while the brakesman turns his handle. The track is cut out of the solid rock, so that it shall not spoil the beauties of the landscape.

Four Hundred Years.

The approaching celebration of Columbus Day is in honor of a historical event which, among the events whose centennials the world has arranged to celebrate, is without a parallel in world-wide importance, exact dating, and remoteness in time.

With the exception of a few battles, whose dates are fixed by their historical connections with ancient eclipses, there are no events of great importance, earlier than the destruction of Jerusalem, whose dates are not in dispute. The time of Christ's birth is in almost hopeless obscurity, and the date of the crucifixion is variously assigned. From the rapidly accumulating evidence for this latter date, the writer is confident, however, that the twentieth century will witness, after nineteen centuries through which the true date has remained unknown, the grand celebration of a centennial Easter day by the whole Christian world.

The days that have passed since the discovery of America by Columbus have been counted with undoubted accuracy, but the number that are needed to make four hundred years is a question that admits of debate and that has divided opinion concerning the true date for Columbus Day. It is not a question that is simply solved by adding 400 to the year of the discovery and assuming that four centuries are comprised between October 12, 1492, and October 12, 1892. The first ninety years in this interval was measured by a calendar in which the average length of the year was exactly 365¼ days, and the remainder is being measured in a calendar that omits three continual leap years in four centuries, and thus makes the average length of the year 10 minutes 48 seconds shorter. When the change was made from the old to the present calendar ten days were omitted, so that the year 1582 contained but 355 days.

Because of this irregular keeping of the calendar, October 12, in the year as it is now observed, marks a point nine days earlier in the autumn season than it did in the century when Columbus made his discovery. This error has been recognized by resolutions in Congress, and President Harrison, in conformity therewith, has proclaimed October 21, instead of October 12, as the day on which to "express honor to the discoverer and appreciation of the great achievements of the four completed centuries of American life."

The impression is current in many minds that a year is the period of time that the earth requires to make the circuit of the sun. This period is known as the sidereal year, but it is not the year to which the calendar that we now use is adjusted, and which has the length that is best adapted to human affairs. For this purpose a period of time known as the tropical year, which is 20 minutes 24 seconds shorter than the sidereal year, is employed. This is the period to which the alternations of summer and winter, of long days and long nights, most nearly conform. Exactly stated, it is 365 days 5 hours 48 minutes 45½ seconds in length. Our present calendar is adjusted to this year with great precision, and by it the anniversary dates for all modern historical celebrations are determined.

This period will, therefore, probably be regarded for all time to come as *the* year. From the standpoint of astronomy it may be most concisely defined as the period in which the earth nods to and from the sun. This nodding movement is the resultant of two motions which the earth has with reference to fixed space.

In an article published in the SCIENTIFIC AMERICAN SUPPLEMENT, No. 778, two years ago, the writer first pointed out the mistake that had been made in selecting October 12 for the Columbian celebration. In that article it was shown that 146,097 days intervened between October 12, 1492, and October 21, 1892. Four hundred of our modern calendar years contain this number of days, as was there calculated, and four hundred tropical years are but three hours short of the same interval. For these reasons the 21st of next October will be the appropriate quadri-centennial day. Then the sun will return again for the four hundredth time to the same position in the heavens, and pursue nearly the same course that it did on the New World's natal day.

As the period between successive nods of the earth to the sun has come to be recognized as the year to which human affairs are adjusted, it is well that October 21 has been finally selected, since it points off four hundred of these periods as the span of four hundred years.

The four hundredth sidereal year, or true revolution of the earth around the sun, also has a certain claim to consideration as an appropriate anniversary date. This point of time will be reached on the evening of October 26 in this country and on the morning of October 27 in Europe. Then for the four hundredth time since the sighting at daybreak of Watling's Island the relation between earth, sun, and stars will be such that there will again be on watch the constellations that looked down upon that auspicious occasion.

The anomalistic year is yet another cycle of a still different length that is made by the earth in its course about the sun. The earth travels in an elliptical orbit with the sun at one of the foci of the ellipse. This ellipse, or track of the earth, does not remain in a fixed position, but shifts slowly around in the same direction that the earth is traveling, as though it were laid out on a gigantic turntable.

The real shape of the earth's orbit cannot be well illustrated, in perspective, and if pictured in plain view its appearance would be so like a circle that the fact that it was not would hardly be revealed except by measurement. On the second of January the earth passes the part of the orbit which is nearest the sun, and in July it passes the point that is farthest away. The time between two passages of either of these points is 4 minutes 39 seconds longer than the sidereal year. After the earth has completed its circuit about the sun, it must therefore continue on for this length of time before it will be again at the same part of the elliptical orbit. Four hundred anomalistic years, or the four hundredth return to the same point on its orbit that it occupied at the time Columbus landed, will be completed on the 28th of next October.

In the time of Columbus, the calendar instituted by Julius Cæsar, as revised by Augustus, was generally followed, and that calendar, which is still used by Russia and Greece, differs from the one which we now use by twelve days. It will therefore be October 12 with them, and four hundred Augustan years will have elapsed when it is October 24 here.

S. W. BALCH.

The Acids of Fruits.

We know that many vegetable and fruit products are esteemed rather for their pleasant or refreshing taste, and for their anti-scorbutic properties, than for any nutritive value which they may be assumed to possess. Yet even fruits of that character are especially valuable as additions to our daily diet, on account of the potash salts and mild vegetable acids they contribute to the blood. We learn from Johnson's *Vegetable Food of the World* that the grateful acid of the rhubarb stalk arises from the malic acid and binoxalate of potash which it contains. The acidity of the lemon, orange, and other species of the genus Citrus is caused by the abundance of citric acid which their juices contain; that of the cherry, plum, peach, apple, and pear from the malic acid in their pulp; that of gooseberries and currants, black, white, and red, from a mixture of malic and citric acids; that of grapes from a mixture of malic and tartaric acids; that of the mango from citric acid and a very fugitive essential oil; that of the tamarind from a mixture of citric, malic, and tartaric acids; the flavor of asparagus from aspartic acid, found also in the root of the marshmallow; and that of the cucumber from a peculiar poisonous ingredient, called fungin, which is found in many species of fungi, and is the cause of the cucumber being objectionable to some persons.

It will be observed that rhubarb is the only product which contains binoxalate of potash in conjunction with an acid. It is this ingredient which renders rhubarb so wholesome at the early commencement of the summer, though in certain cases, known to medical men, its use may be injurious.

The following table, compiled from some analyses by Prof. Berard, shows the percentage average chemical composition of five unripe fruits and of eight ripe fruits, comprising apples, pears, gooseberries, grapes, plums, cherries, apricots, and peaches:

PERCENTAGE AVERAGE COMPOSITION OF FRUITS.

	Unripe.	Ripe.
Water	85·7	78 7
Albuminoids	0·7	0 6
Sugar	4·0	12·9
Vegetable acids	1·5	1·3
Pectose and gum	4·3	3·7
Cellulose, etc.	3·8	2·8

The data thus given show that there is a considerable decrease in the watery particles of fruit as it approaches its full ripe character, resulting in a difference of 7 per cent, while the sugary constituents increase during maturation in a corresponding degree, rising from an average of 4 to nearly 13 per cent.

There is very little actual decrease in the percentage of acids from the green to the ripe stage of fruits, but the acidity becomes neutralized by the increase of sugar as the fruit approaches maturation.

Many persons know from experience how much more pleasant and agreeable fruit is when gathered and eaten direct from the tree. This is undoubtedly in part due to the freshness and briskness of the vegetable acids contained in the fruit, which, when so gathered and eaten, have not time to change into any other substance. Stale fruit, on the other hand, is unpalatable from the very fact that it has lost this pungent and brisk taste.

Pectose forms the substance known as vegetable jelly, and it is to this constituent of fruits that jams owe their firmness. Cellulose is the fibrous part of fruits, and it is in this portion that we should find the largest proportion of mineral salts, potash, etc.—*The Gardeners' Chronicle.*

Smokeless Powder.

On July 2, on the invitation of the directors of the Smokeless Powder Company, a number of gentlemen interested in military matters inspected the new works of the Smokeless Powder Company at Barwick, near Ware, England, and witnessed an exhaustive trial of the qualities of the explosives manufactured by the company. About a hundred gentlemen were present, among them being Colonel Mackinnon, secretary of the National Rifle Association; Major De Hoghton, from the School of Musketry at Hythe; Colonel Henry Platt, of the Carnarvonshire Militia; Mr. Dougall, the managing director of the company; Mr. Rigby, well known both as a rifleman and as an expert in the making of rifles; and representative members of the leading firms of gunmakers.

The morning was spent in inspecting the various buildings, spread over a space of 126 acres inclosed in a ring fence, and in watching, without understanding, the process of manufacture, for, as may readily be conceived, the delicacies of the process are kept absolutely secret at this establishment, which claims to be the only one in the kingdom in which smokeless powder is produced. The visitors saw rolls of coarse paper churned into fluff as fine as cotton wool and washed in a mash tub. They saw, also, men engaged in mixing malodorous acids. They saw great grindstones crushing some yellow substance, understood to be a combination of the acids and the paper in some unknown proportions; they saw the yellow powder treated by the granulating sieves, dried, sifted, packed, and stored; and at the end they were no wiser than they had been in the beginning. After luncheon, however, came proof positive that the various grades of nitro-compound produced by the company, a compound said not to be affected by damp or heat, had several definite virtues. First came a trial with a revolver, then trials with rook rifles, cadet rifles, and like weapons, at short ranges. Neither with them nor a sporting rifle nor with a fowling piece was there any substantial smoke. A slight blue and evanescent wreath of vapor rather than smoke followed each discharge, and the smoke following the discharge of a cartridge or two loaded with black powder was in marked contrast.

The more effective trials, however, were at a longer range. First the powder was tried in the Mauser, Beaumont, Mannlicher, and various other foreign rifles, as well as in the 0·303 and the Martini. Not only was there no smoke, but excellent practice was made, particularly by Mr. Luff, of the North London Rifle Club. Then five men, having the spectators at the 400 yards firing point, fired volleys at 300 yards and at 200 yards, the result being that no substantial wreaths of smoke were visible. Finally, 500 shots were fired with the powder from the Maxim gun, with the result that there was very little smoke to be seen, although ten shots with black powder made an opaque cloud. Altogether the trial was of high interest and importance.—*London Times.*

The Bacillus of Measles.

Germs have been found by various investigators in the blood and secretions of patients suffering from measles. None, however, have been certainly proved to be active agents in the production of the disease. Very recent investigations are those of Canon and Pielicke, of Berlin, and they are reported in the *Berliner Klinische Wochenschrift* for April 18. There seems ground for the belief that the germ they have discovered is the active cause of the disease. It is a bacillus varying considerably in length and appearance under different conditions. It was found in the blood of fourteen patients sick with measles. A similar germ was also found in the sputa and the nasal secretions. It was present during the whole course of the disease, and occasionally for two or three days after active symptoms had disappeared. It was most abundant at the time of defervescence. In seven cases in which active symptoms had disappeared, but in which the rash had not wholly faded, the bacillus could not be discovered. This bacillus is undoubtedly different from any germ yet described in connection with measles. It is to be hoped that the belief of the discoverers will soon be confirmed by the investigations of others.—*N. Y. Med. Jour.*

George Sydney Percival.

The death of George Sydney Percival on the 1st inst. cut short a career of unusual promise. With what seemed at times almost a genius for mechanics, a love of study, and a conscientious devotion to his work, regardless of time or personal comfort, Percival at the age of 25, and with only two years' practical experience, had won the confidence of one of the principal engineering firms in the country, being intrusted by it with novel designing as well as the erection of costly steam plants. He was a member of the American Society of Mechanical Engineers, also of the First Battalion Naval Reserve, and a graduate of the Columbia College School of Mines.

UNSCIENTIFIC AND SCIENTIFIC DIVINING RODS.

BY GEO. M. HOPKINS.

Notwithstanding the tendency of scientific knowledge and general enlightenment to dissipate superstition, the proportion of believers in certain kinds of demonstrations attributed to the supernatural is beyond belief; yet when we find, on investigating the subject, that many coincidences have occurred which seem to establish the claims of the advocates of such

Fig. 1.—FORKED TWIG DIVINING ROD.

beliefs, it is no wonder that some of these notions gain credence, especially in view of the fact that the majority of unsuccessful experiments are never made known.

The divining rod—so called—is a very ancient device, but the belief in its efficiency is as strong to-day as it ever was, yet there is no scientific reason why it should be of any use whatever for any of the purposes to which it is applied. The ancient divining rod (Fig. 1) consisted of a forked twig of hazel, apple, or any fruit-bearing tree. It was held in the hands with the branches both lying normally in the same horizontal plane, with the crotch pointed either toward or away from the body of the operator. It was carried in this position over the ground, and whenever the forked twig bent downwardly it indicated proximity to water, minerals, or metals. The same performance is gone through with in these times, and we often hear of remarkable successes attained by modern operators. These successes are due partly to the good judgment of the operator, but mostly to sheer luck or chance. The dipping of the rod is not due to the action of the water or minerals, but to the voluntary or involuntary movement of the muscles of the hands and arms. If we assume that the operator is honest, we must admit the movements to be involuntary. In using the rod the hands are held in a strained, unnatural position, which renders it very difficult to hold the twig for any great length of time in the prescribed position without causing the muscles to twitch and thus compel the branch to dip.



Fig. 6.—INDUCTION BALANCE.

The mineral rod illustrated in Fig. 2 is formed of a tube preferably, though not necessarily, of bamboo, with compartments at its ends. In one compartment is placed a piece of loadstone, and the other is partly filled with quicksilver. Both ends are corked and the instrument is held as shown in the cut. When the loadstone end dips it is supposed to indicate iron, but when the quicksilver dips it is taken as an indication of precious metals.

Although it does not seem advisable to multiply the accounts of these unscientific and worthless instruments, still, to convey an idea of the variety of devices of this class in existence, one more example is illustrated. The instrument consists of a small bottle suspended by a string and covered with thin cloth tied around the neck of the bottle. A specimen of the metal or mineral sought for is placed in the bottle. The string by which the bottle is suspended is held by the hands as steadily as possible. The bottle first revolves in one direction and then in the other. When it stops it begins to oscillate like a pendulum. The line of vibration is supposed to point to the object sought. The operator carries the device in the direction indicated until vibration ceases; the point where this occurs is the spot where the mineral or other substance looked for is to be found. If several different substances are looked for, a sample of each must be put in the bottle.

It is needless to say that all these devices and methods are devoid of any scientific principle, and if they ever give indications that lead to a find, it is either accident or coincidence. In the case of the last instrument described, the string naturally untwists when the downward pull of the weight comes upon it, and the acquired momentum of the revolving bottle causes it to continue to revolve after the string is untwisted, and twists the string in the opposite direction. The torsion thus produced revolves the bottle in the opposite direction, and so on until equilibrium is established. This will take some time; perhaps a half hour or more. At the expiration of this time the hands of the operator are so tired as to be incapable of holding the string steadily, and as a result the oscillations follow.

As to the scientific divining rods—if such a term can be applied to scientific instruments—the simplest of these is the miner's compass, shown in Fig. 4, and familiar to most readers of this article. It is simply a magnetic compass needle arranged to swing in a vertical plane. Its pivots being jeweled, it swings freely and points to any body of iron or magnetic ore contained in the earth. It is operative for a considerable distance, and has been used for years for locating iron mines; but it is of no use whatever for other than magnetic metals or ores.

In Fig. 5 is shown an instrument devised by the writer, in which a coreless induction coil of peculiar construction is used in connection with the telephone for indicating the presence of metals. The induction coil consists of a primary coil, preferably of rectangular form, made of coarse wire, No. 18, and connected with a rapid automatic circuit breaker and battery. The secondary coil is made of fine wire, No. 36, and is arranged exactly at right angles to the

Fig. 2.—ROD FOR IRON AND PRECIOUS METALS.

coarse wire coil. A telephone is connected with the secondary coil. If the primary circuit is continuously and rapidly interrupted while the coil is not in the vicinity of any metal or magnetic material, no sound will be heard in the telephone, as all the inductive influences are equal and opposite; but when the coil is held in proximity to a body of metal or magnetic ore, this equilibrium is disturbed and the sound is heard in the telephone.

The distance through which this instrument is operative depends upon the diameters of the coils and the strength of the current used in the primary coil. The larger the coil and the larger the current, the greater will be the penetration of the inductive effect. As the induction is effective for only a few inches in an ordinary coil of 6 or 8 inches in length, the instrument is useful for minerals lying near the surface. It may be used to advantage on the sea bottom, along cliffs, in wells and borings, and upon ground abounding in metals lying near the surface, by simply causing it to pass over or near such surfaces. When it is to be used under water, it must of course be inclosed in a waterproof casing of non-metallic material.

Fig. 3.—GOLD FINDER.

This instrument, which is an induction coil pure and simple, should not be confounded with the induction balance described below.

The induction balance invented by Professor D. E. Hughes has had a number of useful applications, one of which is the electric submarine detecter of Captain McEvoy. Professor Hughes demonstrated the extraordinary sensitiveness of the apparatus to the presence of small pieces of metal when brought near to one or other pair of coils.

The arrangement of the balance will be understood from Fig. 6, where P S and P¹ S¹ are the four coils of the balance, arranged in pairs separated from each other and connected by insulated wires. The coils, P and P¹, are joined together through a battery, B, and a key or interrupter, I, thus constituting the "primary" circuit of the balance. The coils, S S¹, are connected through a telephone, T, and constitute the "secondary" circuit of the balance. The interrupter, I, may be either manipulated by hand or automatically, so as to give a continuous action. Whenever the primary circuit is closed by its means, a current traverses the primary coils, P P¹, and induces a corresponding current in the secondary coils, S S¹. This current is of course audible in the telephone, T, but by reversing one of the secondary coils, say S¹, the current induced by the primary coil, P¹, in the coil, S¹, is made to oppose the current induced by the other primary coil, P, in the other secondary coil, S, so that it is possible to cause these two induced currents to annul one another and produce silence in the telephone.

Fig. 4.—MINER'S COMPASS.

This is done by making the two primary coils and also the two secondary coils alike in all respects, and placing the secondary, S, at the same distance from P that S¹ is from P¹. The final adjustment to produce silence in the telephone can be made by altering the distance between a secondary coil and its primary, say the distance of S from P, or it can be made by means of a small piece of metal adjusted near one pair of coils, as was originally shown by Professor Hughes. To employ this arrangement for detecting metal masses it is only necessary to obtain a sufficiently good balance in this way, and explore the field where the metal is supposed to lie by moving about the pair of coils, S¹ P¹. Then, if

Fig. 7.—INSTRUMENT FOR DETECTING THE PRESENCE OF METALS UNDER WATER.

these coils come near a piece of metal, the inductive disturbance which its presence creates will upset the existing balance, and the telephone, before silent or nearly so, will give out distinctly audible sounds, owing to the predominance of the induced currents in the secondary, S^1, over those in the secondary, S.

The idea of applying the balance to the detection of metals has been worked out by Captain McEvoy, who has reduced it to a thoroughly practical form. This

Fig. 5.—ELECTRICAL ORE FINDER.

actual apparatus is illustrated in Fig. 7, where A is a portable case containing the adjustable coils, P S, and the interrupter, I; B is a voltaic battery of two cells, which may be replaced by a small magneto-electric machine giving alternating currents; T is the telephone in the secondary circuit; C is an insulated cable conveying the wires connecting up the two pairs of coils; and D is the detecting or exploring case containing the two secondary coils, S^1 P^1. The coils, P S, inside the box, A, are separated by a layer of soft India rubber, and an ivory screw passes through both coils and the rubber washer between. An ebonite head to the screw is adjusted by hand so as to press the coils together or let them further apart by regulating the pressure between them and the India rubber. The simple device adjusts the balance of induction and reduces the telephone to silence.

The interrupter is a special device which consists of a small iron reed or tongue kept in vibration by a small double-poled electro-magnet, thereby interrupting the current a certain number of times per second, so as to give out a definite note which is easily recognizable in the telephone.

A switch, E, at the box turns the current from the battery on and off the interrupter at a moment's notice. The telephone is the ordinary speaking receiver of Bell.

The cable, C, is insulated with India rubber having its pores filled up with ozokerit or black earth wax forced in under pressure and when in a hot fluid state. It is further protected with an outer braided sheathing, and is fitted to the box, A, by an ingenious socket, which in an instant establishes connection between the corresponding primaries and secondaries, and locks them together. The detecting case, D, is made of wood soaked with paraffin wax. It is watertight, and contains two exploring coils, S P, Fig. 6. When it is lowered into the water by the cable, C, and moved about, or dragged over the bottom, the instant it comes against a piece of metal, such as a torpedo case, a chain, or a submarine cable, it disturbs the balance, and the note, heard in the telephone very faintly until now, becomes unmistakably loud and clear. It is, indeed, somewhat surprising to find so marked an effect.

If there is any objection to this instrument, it is that a body of metal lying in the plane of the coil will not affect it.

Pertinacious John Nash.

When a pupil in Sir Robert Taylor's office, John Nash had an early opportunity of bringing himself into notice. Sir Robert, on one occasion, putting before his clerks some plans to which certain alterations were needed in an unusually short space of time, was annoyed at being told that it was impossible to do what he required. This being overheard by young Nash, he ventured to ask if he might undertake the task which had been declined by his superiors. Sir Robert, struck by the earnest manner of the boy, granted his request. Nash immediately went to his room, procured paper and candles, and, sitting up all night, labored incessantly at the drawings, and by the time appointed appeared before Sir Robert with the plans completed. As another illustration of Nash's perseverance in after life, and his determination never to be overcome by seeming difficulties, it is told that on one occasion, having to go to some out-of-the-way place in Wales, he disdained the accustomed road, which was circuitous, and resolved to seek a more direct path to his object. Setting out on foot, he encountered many hedges, ditches, and fences, most of which he passed, but not without difficulty. At last meeting with a locked gate, awkwardly framed and inconvenient to mount, he was seen to retrace his steps several hundred yards, make a sudden run and attempt to vault over the gate. Failing in this, again and again he put forth his strength, and nearly accomplished his aim; at last stripping himself of his coat and waistcoat, by a longer run and a desperate spring he succeeded in clearing the barrier. He was then seen to climb deliberately over the gate, retrace his course, put on his clothes, and proceed quietly on his way.—*The Architect.*

THE STEEL STEAMER CHOCTAW.

The builders of vessels for the freight business on the great northern lakes are sharply competing with each other in the building of the most economical and efficient craft for the enormous transportation service now being done, and which is growing with marvelous rapidity. The ability of a vessel to carry an extra 100 or more tons of cargo, the efficiency of its engines in comparison with its coal consumption, its average rate of speed and freedom from liability to any sort of accident likely to interfere with the daily performance of its full work, are all carefully considered in the making of contracts for the new freight steamers now being built for the lake trade. This is necessary because there is so much competition in the carrying business that the smallest differences in the efficiency of the vessels often mark the line between a profitable or a losing business for the owner of a vessel, and on this account the builders are constantly making improvements in the steamers they are now turning out for this work.

The accompanying illustration of the new steel steamer Choctaw, built by the Cleveland Shipbuilding Co. for the Lake Superior Iron Co., represents one of the latest models of this class of vessels. She is 266 feet long on the water line, 38 feet beam, and her moulded depth is 23 feet 7 inches. She will carry 2,683 net tons of fuel and cargo on a draught of 15 feet, her speed, light, being 13 miles an hour, and 12 miles an hour when loaded. Her engines are triple expansion, with cylinders 17, 29, and 47 inches, respectively, and a stroke, common, of 36 inches. She has two boilers, each 11 feet in diameter and 12 feet long.



THE STEEL STEAMER CHOCTAW.

AN IMPROVED FIRE ENGINE PUMP.

The illustration represents a double-acting fire engine pump in which the valves and interior mechanism are arranged to be more conveniently accessible than they have been with previous forms of construction, thus facilitating the repairing or replacing of the valves whenever necessary, and lessening the expense of keeping the engine in order. The improvement has been patented by Mr. T. S. La France, of 508 Spaulding St., Elmira, N. Y. Fig. 1 is a vertical section, and Fig. 2 a horizontal section, showing a portion of the section and delivery valves, on the line of the side inlets for receiving water from either side of the engine. Both the pump barrel and casing are closed at top and bottom, neither end requiring to be opened, nor the back of the casing, the barrel, or its plunger needing to be removed, in order to get at the valves. All the valves, both inlet and outlet, are in the front portion of the casing, as shown in Fig. 2, and running vertically from top to bottom in this front portion are partitions, joined midway of their height by a horizontal dividing partition, forming upper and lower inlet valve chambers, while between these two sets of inlet chambers are upper and lower outlet valve chambers. The plunger is made with upper and lower solid heads, holding reverse cup-shaped leather or flexible packings between them. In the front of the pump casing are openings of sufficient size to take in or expose all of the valves, these openings being covered by removable separate lids, whereby access may be readily had to either or both the upper and lower sets of inlet and outlet valves. By this arrangement of the valves and valve chambers the pump barrel and its outer casing may be cast in a single piece if desired.



LA FRANCE'S FIRE ENGINE PUMP.

Costa Rica.

Although Costa Rica is only about half the size of New York State, its list of birds numbers 730 species. It is a country of forests and of all sorts of climates, from the torrid sea coast to that found at an elevation of 11,500 feet, the top of the volcano Irazu, where ice forms.

The trees are not deciduous, although their leaves fall in part during the dry season, which extends from October to May. At the end of the rainy season, many North American migrants appear, and as the dry season advances they retreat to the coast region, and are not seen again till another year. Bird life is more abundant during the wet season, for the reason that fruit and insects abound at that period. The breeding season nearly corresponds with that of the United States.

Near San Jose, at an elevation of 5,000 feet, are what are called "the prairies," about five miles square. They become flooded to the depth of about an inch from September to February, and on them are found a number of species of water fowl and waders.—*George K. Cherrie.*

THE HOMESTEAD DIFFICULTIES.

The Carnegie Steel Works, at Homestead, Pa., several views of which are given on our first page, are among the largest of the kind in the world. Their output of steel recently has even been compared to that of the famous Krupp establishment at Essen. The immense plant, in its machinery and buildings, is all of the most modern type, embracing the most recent improvements, Superintendent Potter testifying before the Congressional Investigating Committee that, by reason of the improved machinery, "the output was 50 per cent greater than that of any other mill in the world!" This seems to be a truly enormous gain, but the improvements which have been but recently made in the machinery and methods in the manufacture of steel in large quantities are hardly appreciated by those not directly engaged in the business. The new beam mill, completed within the past two months, cost nearly a million dollars, and the entire establishment has been absolutely created within the past ten years, for it was only half a score of years ago that Homestead had less than a thousand inhabitants. Then it was an unimportant and unknown suburb of Pittsburg, while now it has over 12,000 inhabitants, substantially all of whom have obtained their livelihood and made for themselves comfortable homes by the building up of the great steel works at that point.

But at this thriving and prosperous industrial center there has been a "labor difficulty" which has attracted the attention of the whole country for the past six weeks, and, on July 6, the matter was the occasion of a bloody engagement, as of between opposing forces engaged in actual war, in which some twenty men were killed and a far larger number injured.

On July 1 the 3,800 workmen employed at the mills were paid off in full, and work was "shut down," the company having declined to sign an agreement to pay a scale of wages for the future which had been demanded for the men by the Amalgamated Association of Iron and Steel Workers, a labor organization to which all the men belonged. The men and the company had got along under a similar agreement for the three preceding years, although there had all the time been a good deal of friction, from the fact that the company found it difficult to deal with its men individually as to many details of the work, and on this account, after a failure to come to an agreement as to a future scale of wages, the company decided to no longer recognize or deal with the association as a body, but to hire all the help needed without regard to any labor organization. It may be briefly stated that the company had asked: First, a reduction in the minimum of the wage scale from $25 to $23 for 4×4 Bessemer billets; second, a change in the date of the expiration of the scale from June 30 to December 31; and third, a reduction in tonnage rates at those furnaces and mills where important improvements have been made, and new machinery has been added that has greatly increased their output, and consequently the earnings of the workmen. Where no such improvements or additions have been made, no reduction in tonnage rates was asked. It has been conceded by the men that the proposed reduction of wages would affect only 325 men out of the total number of employes.

From the date of the stopping of work at the steel works the plant of the company was placed practically in a state of siege by the former workmen. On the 5th of July, a sheriff's posse, in response to the Carnegie Company's demand for protection, attempted to take nominal possession and post guards at the works; but they were captured by the men and sent out of town. The company had, however, in anticipation of trouble with their workmen, been making preparation to meet it for some time previous. They had erected a high fence around their grounds, with a barbed wire strung along its top, through which an electric current might be sent; placed a great search light in commanding position, put up a big instantaneous camera at an advantageous point, and in various other ways were preparing to protect their property. As a part of this system of defense, a force of Pinkerton detectives had been engaged as watchmen, and they were to have been installed at the works in the early morning of July 6. Some 300 of the men, hired for this purpose, were, therefore, taken on two barges, in tow of tug boats, from Pittsburg to the works, which are on the south side of the Monongahela River, about eight miles southeast of its junction with the Allegheny. The fact that the company was thus moving to place Pinkerton men in its works at Homestead created the greatest excitement in the latter place.

The news was telegraphed ahead and, on the arrival of the barges, just before sunrise, the river banks at Homestead were crowded with angry and threatening workmen. It had been intended to land the men from the barges near the pump house, fully a mile within the boundary line of the premises of the company, but the crowd speedily broke down the fence and poured over the company's grounds along the steep embankment skirting the river, reaching the landing place ahead of the boats.

Then succeeded an engagement which lasted nearly all day. It has been disputed from which side the first shot was fired, but the firing quickly became general on both sides, and was kept up with occasional intermissions until three o'clock in the afternoon. The strikers secured a small brass ten-pounder cannon and kept up a fire from it on the barges from within a steel billet embrasure on the grounds, while another cannon opened fire also from the opposite side of the river. The barges were of strong build, having been made for shipping iron, and as an extra precaution they had been lined with heavy steel plates. Little impression was therefore made upon the barges by the fire of the men on the banks, and then it was sought to fire the boats, as shown in one of our views, which is reproduced from a photograph. Oil was spouted on the decks and sides of the boats by means of hose and a small fire engine of the company, but the oil was a lubricating mixture and did not burn well, and the failure of this attempt was followed by an effort to burn the boats with the flame from a natural gas pipe. The tug boats had cast loose and left the barges early in the day, and at 5 o'clock the men on the barges, seeing that there was no hope of escape, surrendered to the mob. Before surrendering they were promised protection, but on the way from the boats to the Opera House, where they were finally lodged as prisoners for the night, they were most brutally assaulted and maltreated by the mob which lined the streets of Homestead.

Within a week after this bloody exhibition of organized mob violence Homestead was taken possession of by the State militia of Pennsylvania, and a force of five or six thousand soldiers was encamped in the town and upon the hills around, their tents upon the hillsides being visible in one of the views, and from this date, under military protection, the company has been gradually filling its workshops with non-union workmen. Another view shows the headquarters of the Amalgamated Association at Homestead, where the men have been accustomed to assemble to mature their plans, and from which the leaders directed their campaign against the Carnegie Company. The office of the latter company in Pittsburg, shown in one of the views, has a peculiar interest, from the fact that here was shot, a few days later, Mr. H. C. Frick, the managing head of all the different Carnegie establishments. A New York anarchist, a Polish Jew named Berkman, went to Pittsburg for the special purpose of killing Mr. Frick, and succeeded so far as to shoot him twice in the neck and inflict several stabs in his back. The wounds did not prove fatal, however, and Mr. Frick has since sufficiently recovered to again assume full charge of his vast business interests. It is not claimed that the would-be murderer had any direct connection with the strikers' organization, but there is only a question of degree of crime between the mob which invaded the grounds of the Carnegie Company, and for hours took part in the bloody work there on July 6, and the dastardly miscreant who, on July 23, sought to aid in carrying out the work of the rioters by killing Mr. Frick.

For the photographs from which some of our views are made we are indebted to Mr. B. L. H. Dabbs, of Pittsburg.

Artificial Precious Stones.

What promises to be a most important discovery has been made by one of our Glasgow scientists. Although imitation gems are obtainable in any required quantity, the production of crystals having the hardness, durability, and other qualities, both physical and chemical, of natural stones has been one of the unsolved problems of applied chemistry. The most advanced efforts up till now have been made in Paris, and the French specialists have at least proved the possibility of producing sapphires, rubies, and other stones by artificial means, their products being real gems, and not glasses. It is doubtful, however, if the originators of the French methods themselves claim that theirs are the methods of nature, and it is reasonable to suppose that the most natural method will be the most practically successful one. Although no geologist or chemist can declare the new process to be the process of nature, yet many analogies point that way.

Experimenters in this field may have been partly discouraged by the thought that the gems of nature were produced under conditions of enormous pressure, to which might have been added very high temperatures, and that they were in some cases the products of long periods of time. It is possible, however, that too much weight has been given to this point. In the process now under notice no such discouraging conditions are present, and the method is wonderfully simple. Even working on the laboratory scale, using small vessels, stones have been obtained over one-sixteenth of an inch in diameter, and very large numbers have been formed approaching that size. There is no reason to doubt that working on a larger scale will yield stones of any size likely to be required. The noble nature of the products is beyond doubt, as they are very hard, infusible at all ordinarily attainable temperatures, and insoluble in any acid. The bulk of the gems are white or rather colorless sapphires. They are compact and transparent crystals, and many specimens have a splendid luster. By subsequent treatment some of them have taken on the sapphire blue.

Some of the specimens seem to contain a small amount of carbon. This element is sometimes present in small quantity in natural emeralds, a fact not generally stated in books on the subject. In a few specimens the proportion of carbon seems to be considerable, and there are present individual crystals having physical properties more nearly allied to the diamond than to the sapphire. In nature diamonds are often found associated with other gems. In any case the products contain little or no silica, this compound being the characteristic ingredient in all kinds of glass. Apart from the possibilities of the process in the direction of producing the diamond, the chief point already established is that of having found an easy method of crystallizing alumina. The Oriental ruby, Oriental amethyst, and other gems coming under the heading "Oriental," are all of them only variously colored sapphires, and alumina forms the chief constituent of the series.

There is little doubt that the process will yield the ruby and other varieties. Apart from ornamentation, their hardness will fit them for mechanical purposes, and their cutting power is remarkable, perhaps due to the small amount of carbon already spoken of. The author of the process has sought the opinion of several of the foremost men of science, and their general verdict has been very favorable. The discovery may prove to be one of the most important yet made in mineralogical chemistry, and the future developments both commercially and scientifically difficult to estimate. The originator of the process is Mr. James Morris.—*Glasgow Herald.*

THE MOON AND MARS.

A most interesting spectacle in the southern sky, in connection with the recent near approach of the planet Mars, was presented on the evening of August 7, when the planet was for some hours apparently very near the full moon, as shown in the accompanying view. When one remembers that the planet was some 35,000,000 miles away from us, while the moon's distance is only about 240,000 miles, that the diameter of the planet is just about twice that of the moon, and that the planet itself has two small moons coursing around it at a rapid rate, it was not necessary to call up the further comparisons, almost everywhere entertained, as to the probability of life on Mars and the absence of life on the moon, to render the sight one well worthy of attracting and holding the attention, aside from its beauty as a mere spectacle.

THE LOOPED PATH OF MARS.

My father, Professor Richard A. Proctor, was very much interested during his lifetime in the study of the miniature earth, Mars; and about which now the scientific world is especially interested. In his magazine *Knowledge* for March 31, 1882, vol. 1, he makes reference to a map, published in an earlier number (March 24), of the looped path of Mars, designed by himself. With regard to it, he wrote as follows: "There are some 600 positions of the planet (all separately laid down before the path was carried through them), and the constructions for these involved many hours of labor." The following is the illustration of the looped path, with the accompanying descriptive text, as written by my father:

"Many even of those who have read the usual descriptions of planetary motions, in our text books of astronomy, are perplexed by the way in which the planets pursue

> Their wandering course, now high, now low, then hid,
> Progressive, retrograde, and standing still.

"Mars, Jupiter, and Saturn during the last few months have given striking illustrations in the skies (as indicated in our maps) of their strange and at first view fantastic and irregular motions. Mars, in particular, traverses a singularly devious course upon the background of the starlit heavens. It has seemed to me that it would be interesting to exhibit the real course of this planet, the one of all the sun's family whose path, with reference to the earth, has the most complicated form. Of course, in reality this planet travels around the sun in an ellipse which is almost circular in form, though considerably eccentric in position. The earth also pursues an elliptic path, smaller in size, still more nearly circular in form, and much less eccentric. But viewed from the earth, the planet Mars, in consequence of the combination of these two circling (but not strictly circular) motions,

travels on such a looped path as is shown in the accompanying map. Here the planet's position, as viewed from the earth (his geocentric position, as it is called), at the successive oppositions (or times of nearest approach to the earth), is shown by the small dot at the end of the dated radial line. Then, at successive intervals of ten days, measured forward and backward from the time of opposition, Mars has the positions indicated by the successive dots. Of course, there is a place in the outermost part of each whorl where these ten-day dots meet without an exact ten-day interval; this, however, is unimportant, as in these parts of his geocentric path Mars is invisible. At the proper places along the planet's looped geocentric path are shown the places where Mars is in perihelion (M), aphelion, M', at a rising node (or crossing the plane of the earth's orbit from north to south), attaining its greatest height (indicated by the length of the "I") above that plane at the point marked $\overset{\text{I}}{\wedge}$; gradually returning toward the plane of the paper, which it crosses again at a point marked ♉; then attaining its greatest distance below the plane of the paper at the next point marked $\underset{\text{I}}{\vee}$; whence it returns gradually to the plane of the paper at a point marked ☊; and so on continually."

MARY PROCTOR.
616 North Sixth Street, St. Joseph, Mo.
August 7, 1892.

Prof. Pickering's Observations of Mars.

In December, 1890, the Astronomical Observatory of Harvard College sent out an expedition to Peru in prosecution of its self-assumed task of making a complete map of the heavens. In order to do this it had been found necessary to establish branch observatories in various parts of the United States and other countries, so that the entire sky might be mapped out. A preliminary station had been established at Chosica, Peru, in May, 1889, but it was found necessary to remove the observatory to a point where the cloudy season was at a minimum. Messrs. S. I. Bailey and M. H. Bailey, two of Professor Pickering's assistants, were in charge at the Chosica observatory. Mr. M. H. Bailey superintended the removal and made a temporary erection in the desert of Atacama, one of the driest spots on the earth and nearer the coast than Chosica. It was subsequently determined to establish a permanent observatory at a point near the city of Arequipa, where a position was secured at an altitude of about 8,000 feet.

To this point Professor W. H. Pickering, accompanied by his family, started. The party does not expect to return to North America for four or five years. By the end of that time Professor Pickering hoped to have mapped out the entire southern half of the heavens, which, as is well known, is far richer in bright stars, clusters and nebulæ than the northern half, with which we are familiar. Professor Pickering also expected to be able to secure photographs of the moon which will be superior to any yet made. For instance, he hoped to be able to produce in that clear atmosphere a photograph six feet in diameter of the lunar surface.

Another of the special objects of the expedition was to observe the planet Mars during its present opposition. The chief difficulty with observing Mars in this country and Europe at the present time is that the planet is now in almost the lowest portion of the ecliptic, near to the horizon, and consequently the telescopic view is affected by all sorts of atmospheric disturbances.

In Peru, however, the planet will be almost directly overhead, and the observatory being situated at a high altitude, the difficulties of view occasioned by dense atmosphere will be avoided. With his superior instruments Professor Pickering will, no doubt, be able to make remarkable discoveries. The access to the observatory is very easy, as a line of railway leads directly from the coast to this point, and delicate and heavy instruments may be transported with ease and safety.

Among the instruments which were taken to Peru were the Harvard Observatory eight-inch photographic doublet, a five-inch visual telescope and an instrument for measuring the brightness of stars. Professor Pickering took with him his own effective astronomical "battery," consisting of a thirteen-inch photographic telescope with an eight-inch finder, a twenty-



THE GEOCENTRIC PATH OF MARS—BY THE LATE R. A. PROCTOR.

(☊) at a descending node (or crossing the plane of the earth's path from south to north), (♉) the place where he attains his greatest distance north $(\overset{\text{I}}{\wedge})$ and south $(\underset{\text{I}}{\vee})$ of the plane of his orbit; the place where Mars is at the point of his orbit corresponding to the vernal equinox (beginning of spring) of his northern hemisphere, marked ♂'s ♈, and the corresponding point for the autumn of Mars, marked ♂'s ♎.

"The scale of the drawing is the same as that of my picture of the orbits of the terrestial family of planets (Mars, Earth, Venus, and Mercury) in the 'Encyclopedia Britannica,' viz., fifty million miles to the inch, and on this scale the lines I, I, etc., indicate the greatest distance attained by Mars north and south of the plane of the ecliptic. The northerly displacement, it will be seen, is the greater.

"The path of Mars must be regarded as passing above the plane of the paper, at a point marked ☊, gradually

inch reflector, made for the purpose of finding faint nebulæ, and an instrument with which he discovered the great spiral nebula in Orion, also a portable transit instrument for determining time and a seismometer for observing earthquakes.

Last year a visual twelve-inch telescope was added to the equipment, so that there can be no failure of the expedition on the ground of lack of instruments. Owing to the lack of building materials in the country where the observatory is erected, the university was obliged to send with the astronomical outfit wood and iron for constructing the buildings and domes and iron piers for the telescopes.

The New York *Herald*, to which we are indebted for the foregoing particulars, has received a special telegram from Prof. Pickering, dated at Arequipa, August 9, in which the professor says:

In my observation of Mars I have seen two large areas near the equator which are permanently blue. Near the edges they appear light blue. The light is slightly polarized.

The total size of the area is about 500,000 square miles, one-half the size of the Mediterranean Sea.

On June 23 a small dark spot appeared in the southern snow cap. Later this spot lengthened rapidly, and early in July it was a thousand miles long, dividing the snow in half.

Sixteen hundred thousand square miles of snow have melted within the last thirty days. The melted snow has apparently been transferred to the seas, across land.

Small, dark areas, surrounded by snow, appeared on July 10, and two days later I first saw a dark line in the fork of a Y shaped mark in the direction of the seas. The line became more conspicuous on July 14, and on the 16th a dark area about the size of Lake Erie appeared on the northern side of the stem of the Y, which was connected with the northern sea. The next day there appeared a large dark gray area near the northern sea.

This had grown much fainter by July 23, and a new area appeared to the south of the northern sea, concealing its outline. The line in the fork of the Y had disappeared, but the area of the Y had extended. On July 24 a large dark area, apparently either a lake or a sea, appeared near the melting snow, and on July 25 the southern branch of the Y became very narrow. The outlines of the northern sea were seen again, a narrow white line stretching north from the snow.

Many other changes were noted. Rapidly changing, faint whitish areas were seen. Green areas near the poles have not been seen for many weeks, but traces were recently suspected, and a bright green area was distinctly seen near the north pole last night.

Magnetic Photography.

Prof. E. J. Houston describes his new mode of photographing the magnetic groupings of iron filings as follows: I place a dry sensitized photographic plate over the magnet whose field I desire to fix, and after the characteristic groupings of filings have been obtained, I expose such plate while over the magnet to the light of a gas flame for a few seconds.

This operation is necessarily performed in the dark photographic room. After exposure the light is turned out and only the non-actinic red or yellow light left.

The filings are allowed to fall off the surface of the dry plate, and the finer particles that still adhere to it are brushed off by a feather or dry camel's hair brush. The plate is then developed and fixed in the usual manner.

This process of obtaining records of magnetic fields produces true negatives, which, when employed for printing by blue print, silver print, platinotype, or similar process, produce excellent positives.

As the negatives so obtained are more permanent than the positives obtained by the use of the filings themselves, they permit the taking of an indefinite number of photographic prints.

A DEEP BASEMENT.

To make a basement on Broadway, New York City, as deep as the one shown in our illustration, is a work involving some interesting, though by no means novel, engineering features. To accommodate the great rope traction wheels which are to be used in the cable railway service of the Broadway railroad, it was necessary that this basement, in which the plant is to be located, should be nearly 40 feet deep, and this is the depth at which, on the corner of Houston Street and Broadway, a permanent water-holding stratum is reached. It was especially desirable to have the plant all placed beneath the street level, so that the space above might be profitably utilized for stores and other purposes, Broadway property at this point being very valuable.

In order to have the room in this basement as clear as possible from obstructions, and of the whole size of the building, 200 by 225 feet, the method has been followed of sinking in the water-holding stratum separate foundations for the numerous pillars which are required to support the interior of the superstructure. A great room is thus provided, in which there will be no interior walls, in which will be placed the four engines, of 1,000 horse power each, for driving the cables. The engines are to be arranged in pairs, each pair operating a shaft on which is a rope traction wheel, from which the power is transmitted, through other traction wheels, to the large wheels on the shafts carrying the cable drums. There will be four of these large traction wheels on cable drum shafts, the wheels being each 32 feet in diameter and 8 feet 4 inches wide over the face, weighing over 100 tons each.

DEEP BASEMENT OF THE BROADWAY R.R. POWER HOUSE, CORNER OF HOUSTON STREET.

The Rights of Labor and the Laws of the Land.

The laws of this country are the fairest, the most reasonable and the most just laws that history records. The principles which they embody are those which have been recognized as fair and just by all civilized nations in all ages, by the best and ablest men in those nations, and also by the great religious leaders and organizations of the world. The liberty of the individual and the welfare of the state are the two chief interests of all just laws and all good government. These two interests are cared for in this country more carefully and intelligently than they have been or are in any other. This is proved by the fact that to get an anarchist we have to import him ready made. The sunshine of our laws and customs is too genial for their breeding here. It is also proved by the fact that hundreds of thousands, yes, millions of men, since we became a nation, have under our laws developed their lives from a low beginning in ignorance, poverty and obscurity into intelligence, usefulness and prosperity. It is not under bad laws that such things can be done.

It is only reasonable, therefore, that labor organizations should be urged not only to obey the laws of the land, but to teach their adherents that to obey these laws is their first and most important duty. The weakness of these organizations has been, and is to-day, that they claim—not in words, perhaps, but in acts—that the organization of wage workers into unions gives them certain "rights" not before possessed. The leaders of labor unions can engage in no better work than to teach their followers that whatever claim of "rights" cannot be enforced under the law is not right, and must be abandoned. If this had been done by labor union leaders, the twelve men who were recently shot to death at Homestead would be alive to-day, and the red smear of murder would not appear on so many pages of the history of labor unions.

One of the facts which organized labor would do well to understand is that under the laws of this country a man may work for whom he pleases and for any price that may be agreed on between him and his employer, and that the employer may at any time cease to employ him and hire some one else in his place. Employes and employers have precisely equal rights in these matters. Another fact equally important is that the law will punish the man who, by physical force, prevents another from working. To do so is a lawless act, and that it is done by or for the benefit of organized labor makes no difference. The law does not take cognizance of organized labor any more than it does of red-haired or temperance, or Catholic or Protestant labor. And not only the law of the land, but also the sentiment of right-thinking people everywhere makes it an evil and an inexcusable act to prevent the man who needs work and wants to work from doing so. How much sympathy for labor is there in the sentiment which beats a man black and blue when he applies for the work the wages of which his hungry family needs—because he does not belong to a union? What sort of charity would that be which would refuse help to a starving child unless it was enrolled in some Sunday school mission class?

Still another point to be learned by combinations of labor is that they cannot claim from the law the same recognition which it gives to employers until they become equally responsible before the law. As it is now the employer can be compelled to make good any violations of contract with his employes. But if his employes, acting through a labor union, sign a contract to-day and break it, greatly to his pecuniary injury, to-morrow, he has no redress. This has recently happened at Pittsburg, where several hundred employes, after signing an agreement to work, broke their agreement without any lawful reason, leaving the works idle. In such a case the employer has no remedy. The labor union insists on being "recognized," and uses all lawful and even many unlawful means to secure recognition, and yet has nothing of that responsibility before the law upon which, only, can one business concern recognize another. When the law compels labor unions to become pecuniarily responsible for their actions, some phases of the labor question will be settled. Employers will prefer to deal with a responsible organization rather than with individuals.—*Railway Master Mechanic.*

THE following directions for joining band saws are given by the Defiance Machine Works: Bevel each end of the saw the length of two teeth. Make a good joint. Fasten the saw in brazing clamps with the back against the shoulder, and wet the joints with solder water, or with a creamy mixture made by rubbing a lump of borax in a teaspoonful of water on a slate. Put in the joint a piece of silver solder the full size thereof, and clamp with tongs heated to a light red (not white) heat. As soon as the solder fuses blacken the tongs with water, and take them off. Remove the saw, hammer it if necessary, file down to an even thickness, finishing by draw-filing lengthwise.

IMPROVED STEAM FIRE PUMP.

This engraving, made by the *Engineer*, London, from a photograph, shows one of the largest stationary steam fire engines built in England. It has been constructed for the Preston corporation, and is capable of discharging from eight to ten tons of water per minute. It will throw from one to ten powerful fire streams simultaneously. The pump has been fitted into the tug boat Ribble, and will be utilized not only for the extinction of fires, but also for pumping out sunken vessels, and other work as occasion may require. It is intended by the makers, the Fire Appliances Manufacturing Company, Northampton, to be specially adapted for fixing in war vessels and large steamships, as it will develop great power within a confined space. It is said to be lighter by two tons than any other pump of its power at present known.



IMPROVED STEAM FIRE PUMP.

The steam piston has two rods, one led over and one under the crank shaft. The crank webs clearing the piston rods are connected to a crosshead having four eyes, two of which are connected to the steam piston rods. Two stay rods are fixed between the cylinder head and the pump head, passing over and under the crank shaft (similar to the piston rods); two eyes of the crosshead work on these stay rods, which serve the double purpose of stay rods and guides, with a return connecting rod from the crosshead to the crank shaft. One pump piston rod is led from the crosshead to the pump piston. The crank shaft is furnished with a crank pin or eccentric for driving the slide valve, which is of the Corliss kind, with an exhaust cavity. The valves are set in a thin plate, which are faced, pinned, and riveted over the holes in the cast iron body.

New Steel Armor Plate Tests.

The first armor plate test made on the proving grounds of the Bethlehem Iron Company took place July 30. The plate tested was a ten and a half inch Harveyized nickel-steel plate, 8 feet by 6, and weighed 18,600 pounds. In tempering the plate was treated with the ice water process, which rendered the surface exceedingly hard and brittle. Five shots from an 8 inch rifled gun were fired at the plate; four into the corners and the fifth into the center. The charges consisted of 81¾ pounds of powder and a 250 pound Holtzer projectile. The velocity of the projectile was 1,700 feet a second. Each projectile pierced the plate about three inches, rebounded, and broke into bits the size of walnuts. Not a single crack was developed in the plate. The test was witnessed by Commodore Folger, chief of the Bureau of Ordnance; John Fritz, superintendent, and R. W. Davenport, assistant superintendent of the Bethlehem Iron Works, and the government army and navy inspectors.

The success of the test surpassed the expectations of all present. Lieutenant Meigs, late of the United States navy, who had charge of the shooting, said after the test: "Comparing this test with the plates of foreign manufacture tested at Annapolis, in November, 1890, and with those of domestic manufacture fired at in November last at Indian Head, there is evidently a material increase in ballistic resistance. The velocity of the eight-inch projectiles in this trial was the same as their speed in two former trials. The five projectiles fired at each plate in the case of the two previous trials consisted of one eight-inch and four six-inch projectiles, while in the present case eight-inch projectiles alone were used. The comparison may be best expressed by stating that the total energy received by this plate was 25,040 foot tons—fully 50 per cent greater than the plates sustained in the two former trials—and yet the plate is far less injured than were the plates in the other tests."

Railway Window Sashes.

A correspondent asks us to name a subject on which to exercise his inventive genius. Here is one: It is a curious fact nobody has yet invented an anti-stickfast car window sash. The traveler experiences much the same trouble nowadays in raising a car window that he did fifty years ago. Now and then a sash may be found that is dry enough or so loosely fitted it may be readily raised. But for the most part, especially in damp weather, the sashes stick fast or require much strength to move them. On some cars they resort to special levers to pry up and start the sashes. It seems as if some of our ingenious inventors might easily study out and furnish an anti-rattling, anti-sticking sash, in every way adapted to the wants of the public and wear and tear of railway requirements. But the problem probably is not so easy and simple as it might at first appear, otherwise it would have been solved long ago.

HERCULITE, a new French explosive, is a yellowish-gray powder, composed of sawdust, camphor, nitrate of potash, and several substances that are kept secret. It cannot be fired by sparks, flame, or detonation. At a trial, a half pound charge of the compound was inserted in a blast hole about four feet in depth, tamped with sand and earth, and fired by a special igniter. A block of stone about thirty tons was displaced.

Correspondence.

What an Amateur can do in Telescope Making.

To the Editor of the Scientific American:

Following the instructions given in the three SUPPLEMENTS sent me, I have made an objective for a telescope, the glass having a clear aperture of 6⅛ inches; anterior surface of crown, 46 inches radius; posterior surface flint, 23 feet convex; ratio of curvature being as 1 to 6, to avoid as much as possible spherical aberration. The inner surfaces, one convex and the other concave, are same radius, about 31 inches.

With 200 diameters on white terrestrial objects, there is no chromatic aberration. The full aperture defines better than a partial aperture, if the air is still. A radial quarter of the objective gives good definition without color. This last is one of the most severe tests an objective can be subjected to, and, in buying a lens, should be resorted to. The star images show no wings, proving that the glass structure is perfect.

I cast my roughing laps from zinc, and cut the finishing laps from plate glass. I made the finishing laps of glass, so there would be no trouble from expansion and contraction from varying temperatures. I had to regrind the inner surfaces of crown and flint many times before I got them exactly right.

The rough pieces of glass I first chipped the corners from, and then cemented both disks to the end of a horizontal shaft having vertical and lateral play, and then revolved the edges of the glasses in a semicircular iron trough, with coarse emery and water, trough and all sitting in the top of a shallow box to hold water and emery. As the disks wore smaller I bent the iron trough to a shorter radius, and kept on until disks were circular.

Since this my first attempt at making and mounting this kind of a lens, I have wondered why more amateur astronomers have not made their own telescopes, instead of buying or doing without a good one.

I am probably only an ordinary mechanic; but with patience any ordinary mechanic can do the same. A knowledge of optics is essential, but easily acquired. All of this work I have done in four months, at my leisure moments, with appliances all of my own make, while running a drug store and practicing dentistry.

Palmer, Neb. M.

[The SCIENTIFIC AMERICAN SUPPLEMENTS alluded to are Nos. 581, 582, 583, on "Astronomical Telescopes."]

Some Uses for Plaster.

BY JULIAN A. MOSES.

It can be used in many places for filling up blow-holes, which are liable to show badly in a casting, or for cracks in the wooden bases of testing instruments. Bases themselves can be quickly and satisfactorily made from this material, and when deftly colored will defy close scrutiny.

Suppose we have a negative in plaster and we wish to make a positive. When we pour the plaster, the line of demarkation will be invisible, as the layers are of the same color. To obviate this the upper layer may be colored, thereby showing where it stops and the other begins. By inserting a knife between them, the layers may be separated.

The following are safe colors:

Blue—Charcoal or litmus.

Red—Venetian red.

Black—Nigrosine or any aniline black.

Remember that the aniline dyes are very soluble in water; they can only be used when the casting is afterward varnished.

It is often necessary to render plaster more durable to meet the requirements of the laboratory. There are several ways of accomplishing this desirable end, and the one I find best and easiest of manipulation is the following:

After the plaster has set firmly, you proceed to evaporate all the water. This can be easily done by placing the cast in an oven until you can feel that there can be no moisture within. Place the cast, thus dried, into a bath of melted paraffine or stearine, and leave it there until all bubbes of air have been expelled. This is easily seen when ebullition ceases. The cast will be found to have increased in weight from 30 to 40 per cent, and is always an advantage for the making of bases of galvanometers, voltmeters, and other electrical instruments. Plaster is a boon to the experimenter, as it makes a more solid, though brittle, base than wood, and when thus prepared, with paraffine or stearine, is water and acid proof; and by simply rubbing with the hand a polish is produced that is very brilliant, though perishable, but which may be easily renewed by friction with a dry cloth.

Plaster in this condition may be satisfactorily turned on a lathe, and small patterns may be constructed of it, which would be very difficult to make from wood or metal.

Suppose, for instance, a machine to be in process of manufacture, it seems to me that a small model of each and every piece, when put together, would be of great value, were any of the original pieces lost or broken, as a reserve stereotype would be to any of the great daily papers.

If plaster during the casting of the model is submitted to too great a heat, it loses its water of crystallization, to a certain extent disintegrates, thus spoiling whatever was in the mould, and sometimes even falling into pieces. The ill consequences inherent in this defect can be avoided by mixing something with the plaster that will overcome this effect of the heat. Substances that will do this must be incombustible, and must not form any chemical combination with the calcium sulphate, as shredded asbestos, powdered pumice stone, and powdered marble dust. Where great heats are required I would advise the use of the asbestos, as it will not only withstand the heat, but serves the purpose of holding the plaster together should it incline to fall apart. It will be better, where perfect results are desirable, to soak the asbestos in water for a few hours. To save time, a bottle containing the asbestos in water should be kept handy.

The proportions are, one ounce of the shredded asbestos to one quart of water. The mixture should be stirred before using, and substituted for water in mixing the plaster. Marble dust, unless ground very fine, will give a rather rough impression; so, for fine work, marble dust should not be used. Asbestos holds the plaster together; marble dust, while preventing disintegration, tends to weaken the plaster cast.

Suppose a case where we have broken a part of some instrument, of which it would be difficult to make a pattern in wood, and that the instrument is an astatic galvanometer and the part broken is the upright from which the needle is suspended. Suppose its shape to be such that it is easy to "draw" from the mould, we would proceed in this manner: Place the fractured pieces together so that, if the part be of brass, it will look unbroken. These should now be laid on a piece of glass or paper and the plaster and asbestos mixture poured on. If there be any undercuts, or if the pattern be at all rough, it would be advisable to soap it. This can be best done with a shaving brush, lathering the parts well, not forgetting to wash all the soap off afterward, for should any lumps of soap remain on the pattern, blow-holes will result. The pattern is now in the plaster, of which a generous supply must be used. When the plaster is "set," make a few furrows and one or two conical holes with the blade of a penknife. They should be on the body of the plaster and about one-eighth of an inch deep, for the plaster which fills them acts as dowel pins. Soap the plaster and pattern, which are on one plane, and run your second layer of plaster and asbestos (this time slightly colored to show the line of demarkation) over the whole surface, placing in close proximity to the pattern a greased lead pencil, or a piece of glass rod, to serve as a "sprue" or hole to allow the metal to be poured in. When this upper layer is thoroughly set the two masses should be separated. This can be done by inserting a knife blade between the distinct layers and gently prying them apart. It will now be seen that the scratches that were made serve to show the exact relative position of the layers. Corresponding to the furrows in the lower plate will be slight elevations in the upper one. The pattern should now be removed as easily as possible by means of a penknife and a little gutter cut from the "sprue" to the impression. Before casting, the mould will have to be thoroughly dried in an oven, expelling all the moisture, which if left in the plaster would generate steam, thereby spoiling the casting. It is true that this casting will be somewhat smaller than the original, but if we first dip our heated model into melted wax or paraffine, thereby coating it with a little film, this extra surface will, probably, be enough of an addition to allow for the shrinking of the casting after it has cooled. The result, if every precaution is taken, will be a casting that is smooth and without the annoying marks and fins of an ordinary casting in sand.

—*Electrical Review.*

Cocoanut Brushes.

The manufacture of brushes of coir, one of the industries of Rhode Island, is carried on at East Greenwich, by Messrs. Pierce & Wadleigh. This material for brushes, says the Providence *Journal*, is obtained from the husk of the cocoanut, which at first sight would be considered very unpromising, but by macerating in water and fermentation all the gelatinous substance is washed out, leaving the fibers in a state to be spun into a coarse yarn. The natives spin the fiber by rolling it on the knee with the hand until there is twist enough to form it into a coarse thread, somewhat like rope yarn, which is then made up into bales for exportation. The best is obtained from cocoanuts grown on some of the islands on the India coast—islands that are mere coral circles, on which a fringe of the trees grows, with the salt water on both the inner side and the outer side; while that produced by the trees on the mainland, for lack of the salt water, apparently, is much inferior, and many arts are used by the natives to make this fiber simulate that of the islands, and obtain a corresponding price in the market. It is imported in bales weighing about 250 pounds, in the form of small skeins, very tightly packed. The first process in manufacture of the brush consists in reeling the skeins on spools. These are placed on a very ingenious machine, invented by John Earnshaw, of East Greenwich. The brushes come from the machine in couples, like the two webs of a double-pile fabric of plush, for instance, face to face, which is separated by cutting apart. The next process is putting the binding, which is made from the same material on a heavy braiding machine. This is secured by stitching through and through the brush, and is also done on a machine. Then the brushes are finished by trimming and shearing, like the pile fabrics before referred to, to give them a smooth, uniform face. The brush is semi-flexible, as it consists almost wholly of the fiber. A few light strips of wood are inclosed in the back to give it some stiffness. They are made in quite a variety, from the common scrubbing brush up to the neat clothes brush and brush for the bath. This coir fiber, owing, probably, to the tannin contained in it, is found to be almost indestructible by decay, as shown by an incident that occurred early in its manufacture. Mr. Earnshaw used some of the tangled fiber for bedding in his stable, from whence it went into the rubbish heap, and after remaining there all winter it was used with the fertilizer in raising potatoes, and when the potatoes were dug, to Mr. Earnshaw's great surprise, the fiber was found unchanged. So he had some of it cleaned out and manufactured, as it was evidently as good as ever, and as useless for a fertilizer as are scraps of leather. This property of the fiber of resisting decay makes the brushes invaluable for use in markets, as they never become foul, as the bristle brushes do in a very short time. The coir fiber is also used in making mats, for which purpose Mr. Earnshaw invented a loom.

Surgical Cotton.

One of the forms of cotton industry that is rapidly developing in this country is the manufacture of absorbent cotton for surgical purposes. The *Textile Record* says: This business is receiving attention from some large mills and it offers opportunity for considerable profits. The raw cotton is boiled in a solution of potash until all the waxy and greasy material contained in the fiber has been extracted. It is then placed in a whizzer and dried, after which it is put upon the card and run out into laps. Cotton thus prepared, when rolled up into a ball by the fingers, will sink to the bottom of a glass of water almost like a stone. It is employed by surgeons for staunching and covering wounds, and is usually medicated with some antiseptic solution, like diluted corrosive sublimate or carbolic acid, with the purpose to prevent putrefaction. It is also employed for various uses in a sick room, where it has been found superior to the sponge as an absorbent of moisture. Cotton thus prepared fetches comparatively a high price, as it is sold in small packages through houses that deal in surgical appliances, and directly to hospitals.

A BABY CARRIER.

Surgeons are but too familiar with the often life-long injuries and deformities experienced by sufferers as the result of falls during infancy from the arms of nurses. The accompanying illustration depicts a simple device intended to prevent such accidents; while it may be useful in lessening the fatigue of carrying infants and freeing the arms of the nurse for other incidental duties. As will be seen by the figure, the appliance consists of strong network attached to an eyeleted strap. This is thrown over the left shoulder and affixed to the end of the net, which is brought under the right arm by means of a hook. We draw attention to this invention, as we believe it to be calculated to be of service to such as have the personal charge of infants and useful as a preventive of a class of calamities to which very young children are liable.

—*London Lancet.*

Natural Gas in Tennessee.

The Cumberland Oil Company, at Eagle Creek, Pickett County, near Birdstown, struck natural gas on July 28, which is flowing with a capacity of 1,000,000 cubic feet per day. The place where the well is situated is far from communication. The roar made by the escaping gas can be heard for miles.

SEA EAGLES IN THE HAMBURG ZOOLOGICAL GARDEN.

The two gigantic eagles represented by our artist are rare and very interesting guests from the eastern coast of Asia. The one with the white shoulders is a Siberian sea eagle, *Haliaetus pelagicus*, Pall., and the other, which is black except its tail, is his near relative from the Corean peninsula, the Corean sea eagle, called by naturalists *Haliaetus branickii*, Tacs.

The Siberian sea eagle has been known since the time of Steller, the celebrated Russian traveler, who noticed it in Kamchatka, and mentioned it, as early as 1744, in his descriptions of that country, calling it "Aquilla Marina;" and in 1811 Pallas described it, making accurate drawings of the bird. Therefore, these immense birds of prey of the East have been known for more than one hundred years, and yet very few museums are so fortunate as to possess a skin of one of them. The Corean sea eagle is still more rare. In 1888 the Zoological Garden in Warsaw received the first skin of a bird of this kind, which was described by Tacsanowski.

Until very lately no live specimen of either of these eagles was ever brought to Europe, the Zoological Garden in Hamburg being the first to possess living examples. Both of these were presents; the Corean eagle was brought by Capt. Dethlefsen from Corea, and the other by Capt. Havecker from Eastern Siberia. None of all the numerous eagles and vultures which occupy the great middle cage in the Hamburg Garden compares with these two birds, either in the size of their bodies, the strength of their beaks and talons, in the nobility of their bearing, or in the boldness of their glance. In every respect they surpass their near relatives, the common European sea eagle, the white-headed American eagle—the national emblem of the United States—and even the African sea eagle (*H. vocifer*).

The Siberian eagle has a white tail, thighs and upper wing coverts, the other feathers being dark brown; while the Corean eagle, on the other hand, is almost black, with a tint of brown, only his tail being white, as our engraving shows. The powerful beaks of these birds are remarkable, not only for their size and strength, and for the hook-like curve of the upper mandible, but especially for the beautiful light lemon color, which distinguishes them from the beaks of all other birds of prey.

Very little is known of the *Haliaetus pelagicus* in its free state. The Dorries Brothers, collectors who resided for many years in Amour, in Eastern Siberia, and during that time watched the animal world very closely, saw only four white-shouldered sea eagles among the many common sea eagles in the neighborhood of Vladivostock, and only two black Corean eagles; and never succeeded in shooting one of these rare birds. The Russian explorer Von Middendorff speaks of the sea eagle as being very cautious. Although he found many nests, he very seldom saw the birds; apparently they were on the high seas busily fishing. In August, so says our authority, the sea eagles were quite numerous on the south coast of the Ohkotsk Sea, where they preferred to build their nests on the summits of the cliffs, which frequently project singly and like towers from the surface of this sea; and therefore their nests, were very inaccessible. Consequently, the eggs of our birds are unknown, nor is anything known in regard to the number and treatment of their young. About the middle of October these eagles move southward, flying high in the air. In the winter they go to Japan and the North of China, returning in summer to their breeding grounds in Kamchatka.

The Ainos raise the young as an article of trade, and theGiljaks sell the white tail feathers to the Japanese, who prize these feathers highly and are willing to pay high prices for them. The Japanese like them to use in window decoration.

In captivity the sea eagles are very quiet, generally keeping away from the other birds in the cage. Their food consists of fish and meat. Their sharp, penetrating cry is as powerful as their bodies, and, in their native land, can be heard above the noise of storm and surf.—*Dr. Heinr. Bolau, in Illustrirte Zeitung.*



GREAT SEA EAGLES FROM EASTERN SIBERIA AND COREA.

PAPER was first made by the Chinese B. C. 220.

Improved Bleaching Processes.

The processes perfected by Messrs. Brin in the bleaching of fibrous matters employed in the paper mill seem worthy of note, says the *Dyer and Calico Printer*. The bleaching is effected by means of decolorizing gaseous agents and particularly by the use of a mixture of chlorine and electrified oxygen, to which they give the name of chlorozone. When the fibrous matter has been washed and brought to a desired consistency, it is introduced into the baratte (a sort of chard), in which it is agitated mechanically. The vessel employed ought to be made so as to close tightly, to prevent the escape of the gases. The chemical apparatus employed consists of a reservoir of oxygen, say, for instance, one of Brin's well known tubes, and a retort for the production of the chlorine. The tube leads the oxygen into the chlorine retort in sufficient quantities to make the mixture in the wished-for proportion. It serves the purpose at the same time of reproducing the peroxide of manganese. The mixture of the gases is washed and conducted into a gasometer. When the gasometer is full the contents are drawn off into an apparatus for the manufacture of ozone of the usual type. After the electrical discharge the chlorozone is turned into the baratte and the pulp agitated violently. The gas escaping from the pulp is led back into the gasometer to be electrified anew, and in this manner the inventors claim that the operation is not only thorough, but very economical.

H. Koechlin has worked out a way of bleaching cotton with peroxide of hydrogen instead of hypochlorite. At present the process is rather expensive for practical use, but we describe it on account of its interesting nature. It is intended for bleaching samples, or when quick bleaching of a few pieces is necessary. The stuff is passed through cold dilute sulphuric acid and is piled up in heaps till the next morning, then washed and put hot into a vat with a solution containing 1,000 liters of water, 10 kil. caustic soda (72 per cent), 50 liters peroxide of hydrogen (12 vol.), 8 kil. calcined magnesia. These are the usual quantities for five pieces of 100 meters. After six hours they are washed, acidified, and washed again, when a purer white is got than by the ordinary process.

In bleaching by electricity, one principle is to steep the threads in a solution of magnesium chloride, and electrolyze it. Magnesium hypochlorite is formed, bleaches the stuff by so doing, and passes back to magnesium chloride, which is again decomposed by the current, and so on, so that the process goes on uninterruptedly. It is of importance to agitate the liquid briskly. Although Hermite's process has been employed with advantage in America since 1887 for bleaching paper pulp, yet it seems so far to have found no employment for cotton. However, Cross & Bevan's experiments seem to show that it has marked advantage over the chloride of lime process for flax. The bleaching of linen cloth and flax has remained so stationary that spreading out on the grass still plays a greater part in it, although the bleaching takes 18 to 20 days. Present researches are directed to bleaching by chemical processes to avoid rotting. J. Lefebure, in Brussels, does it by using alkaline baths. Cross has worked out a bleaching process founded on his researches on jute, in which strong alkaline baths are disused, and instead of chloride of lime, weak alkaline sodium hypochlorite, to prevent the threads turning brown when steamed. The process is said to be the best of those at present in use. It may be as Scheurer has pointed out, that the encrusting substance in jute can absorb notable quantities of chlorine.

Wool bleaching was formerly done almost solely with sulphurous acid, either in a gaseous form as obtained by burning sulphur or in solution. The results, however, were not uniformly satisfactory, for the bleaching effect only lasts while the acid remains in the wool, and if it were driven out by treatment with boiling water, alkalies, or strong acid, the wool often resumed its original color. The latest plan is to allow the well soaked and washed pieces to lie the necessary time (12 to 14 hours) in a bath consisting of a 5 per cent solution of 12 vol. peroxide of hydrogen mixed with a weight of sodium silicate solution of 30° Tw. equivalent to 5 or 10 per cent of the weight of the wool. Koechlin says it is preferable to put the undamped stuff direct into the following solution: Peroxide of hydrogen (12 vol.), 1 liter; water, 2 liters; sodium silicate (30 B.), 200 grm.; and then to roll them up wet with it and leave them 24 hours, when they are washed and dried.

From the same author we have the following rapid but more expensive process: The wool is passed through a bath of peroxide of hydrogen (12 vol.), 1 liter; water, 1 liter; sodium silicate (30 B.), 50 grm.; and then steamed for two minutes. Ammonia may be used instead of sodium silicate. The white obtained by these processes is better than that given by sulphurous acid, and above all, it is more permanent. The yellow color of wool is destroyed entirely, not merely hidden, as by sulphurous acid. In this way the bleaching of wool, heretofore a difficult operation, and one kept as secret as possible, has become easy of execution.

Soxhlett, experimenting on the well known fact that wool readily reduces salts containing oxygen, finds that woolen yarn treated with a strong solution of potassium permanganate (7 per cent) and dyed in the indigo vat takes a much darker shade than with the usual process. One per cent of magnesium chloride was then added to the solution of permanganate and this was used to oxidize woolen dyed with various coal tar colors. The result showed that the treatment with permanganate was of no advantage. In printing, also, the use of permanganate showed no advantage. When sodium chlorate (6·67 per cent) and vanadium dichloride (0·2 per cent) were used in printing on unprepared wool, darker shades were obtained than with dyestuffs alone on chlorine-prepared wool. This treatment left the wool white and soft.

A new method of washing has been very extensively adopted in Germany, and has found its way into Belgium. This is with a view to prevent the ill effects of soda or the *eau de javelle*, much used in France, upon linen. Two pounds of soda are dissolved in three gallons of water, and to this is added a tablespoonful of turpentine and three of liquid ammonia. The mixture is then well stirred and linen steeped in it for two or three hours. During the operation the vessel is closed as tightly as possible. The clothes are then washed out and rinsed in the usual manner. The soap and water may be used again with the addition of half a teaspoonful of turpentine and a tablespoonful of ammonia. The process is said to cause a great economy of time, labor, and fuel. There is no necessity for rubbing, and therefore the linen scarcely suffers, and its cleanliness and color are perfect. The ammonia evaporates immediately, and the smell of the turpentine is said to disappear entirely during the drying of the clothes. At the same time the process is not quite so new as our German contemporaries seem to make out. Some years since paraffine was recommended as an addition to the washtub, and we know that it has been in constant use in some establishments. From this to the German method is a very small step.

ELECTRIC welding has now become almost universal in large establishments. The use of a flux is unnecessary. Electricity is used for making forgings, augers, railroad spikes, ball bearings, and other articles hitherto made by hand.

RECENTLY PATENTED INVENTIONS.

Railway Appliances.

CAR COUPLING.—Robert L. Munson, Silver City, New Mexico. According to this invention the drawheads at both ends of a car are connected and the same tension device is used for both. The head of the drawbar is a hook extension, adapted also for coupling with the link and pin style of couplers, and the drawhead is normally held to couple with an opposing coupler by a spring. Means are provided whereby the cars may be uncoupled from the top or either side, and when two cars are brought together the shock causes the drawheads to assume the proper position for coupling, which is effected automatically.

ELEVATOR.—George A. Wheeler, New York City. This invention relates especially to passenger elevators for elevated railways, providing therefor a safe, capacious, and convenient construction affording a stairway for travel as well as a continuously movable elevator. The invention embodies a series of steps or platforms connected together to form an endless belt, each step or platform furnished with wheels that rest upon tracks that are a portion of the stationary framework, thus converting the steps into movable tracks, while proper actuating mechanism is so connected to the tracks that they may be made to ascend an inclined plane having level stretches or landings above and below, the invention also including a moving hand rail carried in the same direction as the steps.

TRAIN ORDER ANNUNCIATOR.—Leonard T. Crabtree, Embarrass, Wis. This is an improvement on a former patented invention of the same inventor, whereby an audible signal is provided to automatically notify trainmen that orders await them within the station house, in case a visual signal is unnoticed. Each office on the line has a separate alphabetic symbol, and the electrical connection is such that a circuit will be closed by the locomotive or car wheels, and the improvements are designed to indicate at the main office whether the different station operators are alert and attentive, and comply with the rules for the operation of the train order mechanism for receiving and delivering orders to trainmen.

WASH-OUT INDICATOR.—Jose Ortega y Espinosa, Mexico, Mexico. According to this invention a chamber, or a series of chambers, is embedded in such portions of a railway embankment as are deemed most in danger from washouts likely to impair the roadway, and in these chambers an electric circuit breaker is arranged in a novel way and connected with an alarm in the stations of the railway, so that an alarm will be given as the water rises and before the bank is washed away.

Mechanical.

CAM FOR BUTTONHOLE MACHINES.—Joseph F. Wiecherth, Brooklyn, N. Y. This invention provides an improvement in cams to operate buttonhole guides in machines like the Reece, providing therefor a double cam, with means for enabling the guide roller to run in either cam groove. With the improvement it is not necessary to take the machine apart every time the style of buttonhole is changed, as has been the case heretofore.

DECORTICATING RAMIE.—Walter T. Forbes, Atlanta, Ga. A machine for decorticating ramie, hemp, jute, etc., provided by this invention, has two pairs of rollers journaled vertically one above the other, one of the rollers of each pair, geared to turn faster than its fellow, the rapid turning of one roller causing the bark to slip from the wood, while the yielding surfaces of the rollers break and tear the fiber, the ramie being treated in a green state. The fibrous material is first subjected to the action of the upper pair of rolls, then to the contacting rolls of the two pairs, and then to the action of the lower pair of rolls.

Agricultural.

CULTIVATOR.—Emert D. Owen, Oahe, South Dakota. The beam and the shank of the cultivator are so constructed, according to this invention, that when the point or tooth carried by the shank strikes an obstruction the point will give sufficiently to prevent the parts from breaking, and, after the obstruction is passed, the shank automatically readjusts itself to the beam. The front faces of the shank and lower portion of the beam are smooth, so that any adhering trash drops and is thrown rearward.

MOWERS AND REAPERS.—Alvin W. Lanphere, Indian Lake, N. Y. This invention provides an improved sickle bar movement for these machines, the device giving a rapid and positive reciprocating motion to the sickle bar from the main driving wheel of the machine when the latter is moving forward. By the movement of a lever the motion of the sickle bar can be readily stopped at any time. The motion is given to the sickle bar without much loss of power, and the invention covers various novel details and combinations of parts.

Miscellaneous.

PICK FOR STRINGED INSTRUMENTS.—Henry G. A. Smith, Buffalo, N. Y. This is an inexpensive device, whereby a pick, operated through the medium of a key or lever, will cause a string, stretched in connection with it, to vibrate, thus providing for a new class of musical instruments, similar in tone to a zither, harp or guitar, but having keys as in a piano. The pick is pivotally attached to the key or lever, and a trip mechanism operates in conjunction therewith. The pick has a simple tension device adapted to hold it in a predetermined position during its downward and upward stroke, until the trip mechanism restores it to its normal position for the next stroke. The trip mechanism consists of stops or abutments between which a rearwardly extending lip of the pick projects.

HAND DRUM.—Edward H. Droop, Washington, D. C. This is a description of musical instrument designed to be carried in and sounded by one hand. A drum head is carried on the end of a handle, and the latter is furnished with an elastic hammer support through a spring shank, whereby the hammer is held normally out of contact with the head, but in such a manner that by moving the drum the hammer is vibrated and brought into contact with the drum head. Several hammers can be arranged, if desired, to strike the drum head successively.

DESIGNS FOR A DECORATIVE FABRIC.—Samuel M. Schwab, Jr., New York City. Two designs have been patented by this inventor. One of them consists of a series of contrasting panels, each containing two distinct figures, one a shield with stars and stripes and the other a wreath of stars, the two figures being alternately arranged throughout the panels. The other design consists of a series of contrasting panels and figures arranged upon them simulating the stars and flag of the United States, the figures of the stars and flags being alternately arranged.

DESIGN FOR A PICTURE FRAME.—Albert Selter, Hoboken, N. J. This frame has a central opening for the picture, and part of each side and end curved to the front and inwardly toward the central opening to form a scroll, a bow or tassel, or other ornament, depending from the scroll.

ALLOY.—Alexander I. Cocker, George W. Collyer, and Clarence Haines, Tarrytown, N. Y. This is an alloy of iron and tin, designed to afford a hard, ductile, composite metal, the patent providing a special form of flux, by the admixture of which the homogeneous blending together of the tin and iron is perfectly effected, and the loss of tin by oxidation is prevented. The metal thus made is superior for the casting of journal bearings or the filling between safe walls and other purposes, being very hard, close in grain, and tough, and capable of standing a greater load strain than the best pure cast iron.

THILL COUPLING.—Samuel A. Whitfield, Chicago, Ill. This invention provides a novel form of coupling, designed to afford great strength, and with which the thills may be easily changed for a pole or a pole for thills. The height of the shafts may also be conveniently raised as desired, and an anti-rattling spring is provided in the coupling which may be given just the tension desired, the spring following up the thill iron knuckle in a way to prevent all rattling.

SHUTTER BOWER.—Herman Reichwein, Spring Lake, N. J. A blind fastener having but few parts, very strong, and readily applied, is provided by this invention, the construction being such that the blind may be firmly locked in open or closed, or bowed position. The device consists of two pivotally connected arms, the outer end of one arm being attached to the window blind, while the inner end of the other arm is adjustably held by keepers and a key in such position as desired.

SKATE.—James Warner, East Somerville, Mass. A toe plate and heel plate are independently and adjustably attachable upon the runner of this skate, two curved clamping bars sliding on the toe plate and pivoted to a cam lever and on the connecting bar, while a vibratable wedge lever is pivoted on the heel plate and adapted to lock the plate to the connecting bar. The peculiar method of locking the parts together is designed to facilitate the adjustment of the skate upon feet of different sizes, while the form of the parts is such that the entire skate can be produced in quantity by machinery rapidly and perfectly.

PAVEMENT.—Robert D. Duff, Tacoma, Washington. According to this invention wooden paving blocks are secured between and supported upon wooden stringers held parallel by transverse tie rods passing through their bases, but separated by narrow spaces which permit drainage. The channels or spaces between the blocks are filled with a composition or concrete of tar and gravel or sand, the joints being packed with tar or other suitable filling.

DENTAL DISK CARRIER.—Mathew S. Nichols, Central Village, Conn. This is a device for use in connection with a dental engine to rotate an abrading or polishing disk, and the invention relates more especially to carriers which provide for the removal and replacement of the disk without dismembering the carrier itself. A head is hinged to the outer end of the shank or body of the carrier, there being a clamp movable upon the shank at the rear of the head, and means for operating the clamp. The polishing disk is automatically centered, and may be very quickly and conveniently attached to the carrier or removed from it.

SIGN LETTER.—Louis Levett, New York City. This invention relates to letters or symbols for forming signs on glass doors or windows, and consists principally of a letter or ornament constructed of separate parts, some of which are provided with fastenings for attachment to glass plates or other objects, these parts holding the other parts, and the several parts when joined together forming a complete letter, symbol or ornament. The letters can be quickly removed and interchanged to form differently reading signs, and any desired sign can thus be made without the employment of skilled labor.

WASHING MACHINE.—Frank A. Lapham, Waterford, Wis. This machine is designed to be capable of producing substantially the same movements in washing as are attained when the washing is done by hand. It is adapted for attachment to a tub or similar receptacle, and consists of a cover having on its under face a ribbed or rubbing surface, below which is located a rubber, while a shaft connected with the rubber extends through the cover, a lever being provided whereby the shaft may be raised or lowered and revolved. By alternately laterally reciprocating the lever and giving it a vertical movement, the clothes are rubbed, rinsed, shifted, and again rubbed at different places.

CLOTHES POUNDER.—David D. Cady, Munson, Ill. The body of this device is conical, and within it is a horizontal partition to which the handle socket is held, the lower open chamber of the shell being divided vertically to form inner and outer chambers, with tubes in the inner one, air communication being established between the exterior of the pounder and its interior at the bottom. The construction is such that the lower part of the pounder confines the air and water above the clothes, to force the water through the clothes when the pounder is forced downward, the air passages also causing the clothes to be slightly lifted as the pounder is raised.

FOLDING BLACKING STAND.—John A. Cranston, Newport, Del. This stand comprises folding cross legs having a hinged foot rest at the top, a box carried by the stand being provided with a swinging lid and an outwardly swinging shelf. The stand is adapted to support the foot of a person while his shoe is being blacked, and is a cheap, simple and convenient construction which may be made very light, and yet strong and durable, while it may be folded in a small compass and will carry all the necessary articles used in blacking shoes.

HOT WATER BOILER.—Conrad Behre, Hopewell, N. J. This is a stove boiler having a vertical flue through it and a flange around its base, in combination with an independent ring upon its lower end, and lugs sliding on the ring and provided with bolt openings. The boiler may be applied to any stove or range, and can be connected therewith in such a way as to utilize the waste heat which usually passes off through the chimney pipe to heat the water in the boiler. The top of the flue projects above the boiler, to be connected with the chimney pipe.

INTERCHANGEABLE INITIAL FINGER RING.—Joseph H. Fink, New York City. This invention provides a simple and compact device affording means to readily detach an initial letter from the stone setting and insert another letter without injury to the ring or setting, the connection of the parts being neat and reliable. The initial letter or character has arrow-headed locking bars which pass through perforations of the setting, enter the box below, and engage removably with a laterally elastic securing device that is firmly attached to the bezel of the box or ledges.

FAUCET.—James M. Gilmour, East Orange, N. J. This is a simple and durable device designed for use with water service, the valve being arranged to readily open or close by turning the discharge spout, and the valve seating itself within the line of pressure of the water service. A pin projecting from the valve stem passes through a slot in the spout to engage a groove on the valve body, so that on turning the spout the pin moves in the groove to actuate the valve and at the same time the pin slides in the slot of the spout.

NOTE.—Copies of any of the above patents will be furnished by Munn & Co., for 25 cents each. Please send name of the patentee, title of invention, and date of this paper.

SCIENTIFIC AMERICAN

BUILDING EDITION.

AUGUST NUMBER.—(No. 82.)

TABLE OF CONTENTS.

1. A suburban cottage at Rutherford, N. J. Cost $2,000 complete. Floor plans and perspective elevation. Mr. C. D. Jones, New York, architect.
2. A residence near Newark, N. J., erected at a cost of $7,000 complete. Floor plans and perspective. Munn & Co, architects, New York.
3. Engraving showing the North M. E. Church, at Chester Hill, N. Y. Cost $5,250 complete. Mr. Charles E. Miller, architect, New York.
4. A carriage house and stable erected at Portland, Me. Cost $700 complete.
5. A summer cottage at Great Diamond Island, near Portland, Me. Cost $3,200 complete. Messrs. J. R. & W. P. Richards, architects, Boston, Mass.
6. A residence at Rutherford, N. J., recently erected at a cost of $4,500. Perspective and floor plans.
7. A cottage at Oakwood, Staten Island. Estimated cost, $3,300. Plans and perspective elevation.
8. A row of model dwelling houses on West Seventy-fifth Street, New York City. Mr. James T. Hall, architect, New York.
9. A dwelling recently erected at Rutherford, N. J., at a cost of $5,400 complete. Floor plans and perspective.
10. Design for the proposed tomb of Wellington, St. Paul's Cathedral, London.
11. View of the interior of the House of Commons, London.
12. Roman Temples in Africa—restored by Alex. Graham, F.S.A.
13. Miscellaneous contents: Scarlet runner beans, illustrated.—Evolution—Fruit culture at Barham Court, illustrated.—Wood and iron stairway at the National Library, Paris, illustrated.—An ornamental wood-working machine, illustrated.—A new heater manufacturing plant.—Various doctrines of water rights.—Improved bath heater, illustrated.—Well-made chairs and rockers, illustrated.—An improved heater, illustrated.—Kaleomining.—An improved variety wood-worker, illustrated.—An improved mortiser and borer, illustrated.

The Scientific American Architects and Builders Edition is issued monthly. $2.50 a year. Single copies, 25 cents. Forty large quarto pages, equal to about two hundred ordinary book pages; forming, practically, a large and splendid MAGAZINE OF ARCHITECTURE, richly adorned with elegant plates in colors and with fine engravings, illustrating the most interesting examples of Modern Architectural Construction and allied subjects.

The Fullness, Richness, Cheapness, and Convenience of this work have won for it the LARGEST CIRCULATION of any Architectural publication in the world. Sold by all newsdealers.

MUNN & CO., PUBLISHERS,
361 Broadway, New York.

Business and Personal.

The charge for Insertion under this head is One Dollar a line for each insertion; about eight words to a line. Advertisements must be received at publication office as early as Thursday morning to appear in the following week's issue.

First class 3′′ cutting-off machine, with all latest improvements. Price low. Manufactured by W. P. Davis, Rochester, N. Y. Send for catalogue.

Acme engine, 1 to 5 H. P. See adv. next issue.

"U. S." metal polish. Indianapolis. Samples free.

Presses & Dies. Ferracute Mach. Co., Bridgeton, N. J.

6 Spindle Turret Drill Presses. A.D. Quint, Hartford, Ct.

Best baling presses. Ryther Mfg. Co., Watertown, N.Y.

Patent Open-Side Planing and Shaping Machines. Pedrick & Ayer, Philadelphia, Pa.

Steam Hammers, Improved Hydraulic Jacks, and Tube Expanders. R. Dudgeon, 24 Columbia St., New York.

Screw machines, milling machines, and drill presses. The Garvin Mach. Co., Laight and Canal Sts., New York.

Centrifugal Pumps for paper and pulp mills, Irrigating and sand pumping plants. Irvin Van Wie, Syracuse, N. Y.

For the original Bogardus Universal Eccentric Mill, Foot and Power Presses, Drills, Shears, etc., address J. S. & G. F. Simpson, 26 to 36 Rodney St., Brooklyn, N. Y.

The best book for electricians and beginners in electricity is "Experimental Science," by Geo. M. Hopkins. By mail, $4; Munn & Co., publishers, 361 Broadway, N. Y.

Canning machinery outfits complete, oil burners for soldering, air pumps, can wipers, can testers, labeling machines. Presses and dies. Burt Mfg. Co., Rochester, N. Y.

Competent persons who desire agencies for a new popular book, of ready sale, with handsome profit, may apply to Munn & Co., Scientific American office, 361 Broadway, New York.

☞ Send for new and complete catalogue of Scientific and other Books for sale by Munn & Co., 361 Broadway, New York. Free on application.

Notes & Queries

HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters, or no attention will be paid thereto. This is for our information and not for publication.

References to former articles or answers should give date of paper and page or number of question.

Inquiries not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and, though we endeavor to reply to all either by letter or in this department, each must take his turn.

Special Written Information on matters of personal rather than general interest cannot be expected without remuneration.

Scientific American Supplements referred to may be had at the office. Price 10 cents each.

Books referred to promptly supplied on receipt of price.

Minerals sent for examination should be distinctly marked or labeled.

INDEX OF NOTES AND QUERIES.

	No.
Cigar lighter	4499
Eggs, desiccation of	4496
Electric motors	4498
Secondary batteries	4595
Surface condenser	4497
Voltmeters and ammeters	4595

(4495) E. N. M. asks: What is the difference in principle of construction between a voltmeter and ammeter as used in electric light stations? A. The difference between the two instruments lies mainly in resistance. The resistance of a voltmeter is very great, while that of the ammeter is very small. The voltmeter is connected in a shunt to the main circuit, and owing to its resistance takes only a very small fraction of the current, while the amperemeter is placed in series, so that the entire current goes through it. 2. Will the lead plates in a storage battery work if made in two pieces and rolled up, they being separated from each other by sheets of some flexible material, and if so, what could be used to roll in between them to keep them apart? A. Plante's battery is made in this way. Stripe of rubber are used to separate the plates. 3. What surface of lead is necessary to give 1 volt? A. Any surface will give from 1¼ to 2 volts. 4. How is the internal resistance of a cell of battery measured? A. Connect the battery with a tangent galvanometer. Take note of the deflection. Introduce sufficient resistance to reduce the tangent of the deflection one-half. The resistance thus introduced is equal to the original resistance. After deducting the resistance of the galvanometer, the remainder is the resistance of the battery.

(4496) M. F. T. says: Please inform me in your paper if eggs can be dried or evaporated so as to be ground and preserved without further process. Also can a vacuum be produced by an ordinary air pump sufficiently perfect to preserve any perishable (otherwise) article? A. Eggs preserved by drying and reducing to powder are now on the market, sold as egg powder. Any air pump can be made available for producing a vacuum, and perishable articles preserved by sealing under a vacuum.

(4497) A. B. asks: How many feet in length of 1 inch iron pipe would be required to act as an efficient surface condenser, placed in running water, for a one horse power engine? What should be the relative size of air pump to steam cylinder in such an engine? Very low pressure steam is intended to be used. A. 25 feet 1 inch iron pipe is sufficient. Single-acting air pump should have two-tenths volume of steam cylinder.

(4498) A. E. G. writes: 1. I am told that the magnetic poles of the armature of a motor remain stationary when the motor is running. As the poles of the field are stationary, and power cannot be developed by any force acting between two points unless they have some motion with relation to each other, I do not see how it can be true. I should think the force of attraction between the poles of the field and armature

would be in a condition of static equilibrium. I think the magnetic poles of the armature must move forward, turning the armature with them, while the brushes remain on the same segments of the commutators, and when they come on the next segment, so that the current passes through the next coil, the poles are recreated so to speak, one coil further back as regards direction of rotation, and again advance through the same angle, turning the armature, as before. Thus you have the motion necessary to produce energy. Is my idea correct? A. We think your idea is correct. 2. How much lead is it desirable to give the poles of the armature of a motor? A. Only enough to reduce the sparking to a minimum. 3. What would be the effect of too much lead? A. Increased sparking. 4. What would be the effect of no lead at all? A. It depends on the construction of the machine. If the machine requires lead to make it work to the best advantage, changing the brushes so as to give no lead would cause the machine to spark.

(4499) H. Z. writes: N. E. T. in Notes and Queries says his cigar lighter don't work properly. I have one like it. The probability is that his solution is polarized. If he washes the zinc and other elements and makes a new solution, he will find it works well. Two ounces each of bichromate of potash and sulphuric acid. Add water enough only to come within one-eighth inch of the zinc.

NEW BOOKS AND PUBLICATIONS.

A DICTIONARY OF ELECTRICAL WORDS, TERMS AND PHRASES. By Edwin J. Houston, A.M. Second edition, rewritten and greatly enlarged. 1892. New York: The W. J. Johnston Co., Limited. Pp. 562. 7×9½ inches. Price $5.

In this new edition of Professor Houston's dictionary there are over five thousand distinct titles with definitions and a superabundance of cross references. The definitions are concise and in the main accurate, and the illustrations are sufficient for the purposes for which they are designed. Taken altogether, the book is desirable and should be owned by every person who tries to keep up with these times, in which electricity plays so large a part. To the electrical engineer, electrician, and student of electricity, it is indispensable. Occupying as it does the pioneer position in the field, and being thus far the only work of its class, we bespeak for it the welcome it deserves.

TO INVENTORS.

An experience of forty years, and the preparation of more than one hundred thousand applications for patents at home and abroad, enable us to understand the laws and practice on both continents, and to possess unequaled facilities for procuring patents everywhere. A synopsis of the patent laws of the United States and all foreign countries may be had on application, and persons contemplating the securing of patents, either at home or abroad, are invited to write to this office for prices which are low, in accordance with the times and our extensive facilities for conducting the business. Address MUNN & CO., office SCIENTIFIC AMERICAN, 361 Broadway, New York.

INDEX OF INVENTIONS

For which Letters Patent of the United States were Granted

August 9, 1892.

AND EACH BEARING THAT DATE.

[See note at end of list about copies of these patents.]

Alarm. See Burglar alarm. Low water alarm.
Alarm, D. P. Norcross 480,373
Alloy, aluminum, C. F. Whitney 480,445
Amalgamating apparatus for crushed ores and like reduced bodies, W. W. Fyfe 480,366
Animal trap, E. R. & C. W. Knecht 480,506
Awning, B. Brenner 480,553
Awning frame, J. Pettitt 480,437
Axle lubricator, J. T. Connelly 480,318
Bar. See Jail bar. Pinch bar.
Battery. See Galvanic battery.
Battery plate, secondary, E. R. Knowles 480,396
Bed bottom, J. B. Ryan 480,282
Bell, electric, G. W. Conover 480,319
Bicycle motor spring fork, Lynch & Tremper 480,509
Bicycle support, Slar & Dunn 480,441
Binder, temporary, F. Von Hefner-Alteneck 480,334
Bit. See Bridle bit.
Bit holder, adjustable, G. W. Louden 480,606
Bleaching compound, W. B. Brittingham 480,554
Blind, Venetian, J. K. Benway 480,540
Block signal apparatus, T. H. Patenall 480,411
Board. See Sign board.
Boiler, M. Mahony 480,331
Boiler attachment, G. F. Johnson 480,264
Bolting reel, R. F. Reinbold 480,345
Book or blank case, R. Miller 480,388
Book case, Foster & Hine 480,605
Book holder, Merriman & Tilden 480,420
Book indicator, Bailey & Welch 480,040
Book, receipt and collection report, J. H. Pettibone 480,623
Boot, G. A. Brown 480,363
Bottle snap, J. Fithian 480,458
Brace. See Dental jaw brace.
Brake. See Car brake. Hemp brake.
Breakwater, etc., A. M. Shannon 480,288
Brick kiln, S. Dewhirst 480,561
Bridge flooring, J. R. Worcester 480,483
Bridle bit, Beckeman & Lukens 480,487
Broiler, J. W. Brady 480,316
Broom shoulder cutter, W. F. Settle 480 287
Buckle, G. E. Adams 480,540
Buckle, T. J. Clark 480,397
Buckle, suspender, B. J. Balliett 480,650
Buckle, suspender, J. A. Traut 480,680
Buggy spring gearing, O'Dell & Van Liew 480,374
Buggy top, lever for raising and lowering, H. Foreseen 480,531
Building material elevator, J. J. Kiorst 480,239
Burglar alarm, Neal & Donnelly 480,340
Burial case, J. G. Gray 480,427
Button, separable, R. Monday 480,336
Button, separable, W. F. Turner 480,352
Cable gripper, W. A. Butler 480,489
Can machine, J. B. Foote 480,256
Candy mould, M. M. June 480,469
Cane mill, D. Skekel 480,523
Capstans, Y. T. Johnson 480,429
Car brake, J. B. Meadley 480,508
Car brake, automatic, R. Condon 480,250
Car brake, railway, G. L. McCallum 480,326
Car brakes, slack adjuster for, R. A. Parke 480,341
Car, combined freight and stock, E. R. Steinhilber 480,635
Car coupling, T. W. Felton 480,456
Car coupling, W. H. Foster 480,459
Car coupling, F. A. Hotchkiss 480,584
Car coupling, J. B. Meadley 480,504
Car coupling, J. E. Sague 480,638
Car coupling, J. S. Smith 480,634
Car coupling, D. G. Turner 480,631
Car draw bar guide, J. L. Guinn 480,481
Car, merchandising, R. A. Wilder 480,464
Car mover, Marston & Kimball 480,308
Car, railway, R. A. Wilder 480,333
Car seats, automatic mileage recorder for, H. S. Squires 480,355
Car, tram, A. Worner 480,536
Car, vestibule, G. Hancock 480,485
Carpet sweeper, H. Cadwallader 480,451
Carriage, H. P. Wells 480,307
Carriage mud guard, J. Andersson 480,485
Carriage top, G. B. St. John 480,295
Carrier. See Package carrier.
Cart, hand, Radley & Beal 480,670
Case. See Book case. Burial case. Pencil case.
Cash indicator, register, and check printer, J. Jacques 480,608
Cash register, H. H. Koeller 480,504
Cash register, H. G. O'Neill 480,514
Cash register and indicator, H. G. O'Neill, 480,512, 480,613, 480,615
Cash register and indicator, J. Shakespeare 480,521
Cash register indicator, and check printer, H. G. O'Neill 480,617
Cellulose from wood, preparing, H. A. A. Maste 480,324
Cement mill and furnace, combined, H. H. Bourne 480,261
Center plate fastening, C. Lindstrom 480,406
Centering device, F. L. Canham 480,558
Chair. See Convertible chair.
Chair desk attachment, M. C. Hutton 480,266
Chart, J. D. Price 480,413
Chart for draughting garments, S. G. Crow 480,453
Circumference indicator, and tire gauge, P. McCallum 480,607
Clamp. See Hose clamp.
Cleaner. See Flue cleaner.
Clevis, O. Canuteson 480,364
Clock synchronizing device and system, W. F. Gardner 480,577
Clothes wringer, W. Thornton 480,297
Coal, machine for handling, J. M. Dodge (r) 11,256
Cock grinding machine, P. Gerstenkorn 480,256
Coin chute, R. F. Avery 480,300
Coin-operated machine, A. Larsen 480,451
Compressing engine, compound, S. St. Clair 480,527
Condenser, steam, J. F. Fetters 480,572
Convertible chair, A. B. Stevens 480,636
Corset and dress shield, combined, J. S. Goldsmith 480,426
Coupling. See Car coupling. Pipe coupling. Thill coupling.
Crusher. See Quartz crusher.
Cultivator, A. Tindall 480,339
Cutlery rolling machine, I. Hirsch 480,235
Cutter. See Broom shoulder cutter. Meat and vegetable cutter. Steam or ensilage cutter.
Cutter head, C. L. Goehring 480,460
Cutting machine, rotary blade, F. Kircher 480,387
Cutting-off machine, J. A. Gilmore 480,461
Cylinder locks and keys, H. G. Voight 480,299
Damper, automatic, C. D. Howard 480,263
Data, instrument for facilitating the use of tabulated, I. D Boyer 480,245
Dehorning implement, A. C. Brosius 480,246
Dental cabinet, C. A. Herr 480,261
Dental engine, C. W. Thomas 480,678
Dental jaw brace, A. E. Worthen 480,357
Dental moistening pad, G. W. Meiotte 480,471
Desk, school, Parker & Le Nevo 480,630
Diffusion apparatus, S. Faron 480,571
Digger. See Potato digger.
Door opener, electric, L. Bates 480,546
Door track, barn, J. H. Lawrence 480,501
Doors, mechanism for opening, closing, and locking, jail, P. J., Sr., & P. J. Pauly, Jr. 480,476
Dovetailing machine, C. Cristadoro 480,251
Draught equalizer, J. L. Hoover 480,262
Draught equalizer, A. McKee 480,329
Draught equalizer, E. Roadifer 480,517
Dress shield, E. N. Gaillard 480,574
Drier. See Paper machine drier.
Drying kiln, C. J. Dion 480,255
Dust beater, J. Slattery 480,389
Dye, diaso, M. Hoffmann 480,326
Dyeing or scouring machine, J. H. Lorimer 480,602
Easel rest or bracket, W. Roehlitz 480,280
Edge protector, metallic, F. F. Atkinson 480,241
Edge, straight, Ridgely & Smith 480,516
Edged tools, apparatus for whetting and sharpening the edges of, C. Spruce 480,634
Electric accumulator, G. Gandini 480,575
Electric lighting system, G. F. Myers 480,372
Electric lighting system, C. Selden 480,375
Electric push, J. F. Wollensak 480,655
Electric service systems, time cut-out for, S. R. Linville 480,369
Electric switch, J. S. Gibbs 480,694
Electric wire conduit, S. H. Flagg 480,573
Electrical regulation, H. E. Vinoing 480,398
Electrical spool, S. S. Wheeler 480,681
Electrolytic cell, E. B. Cutten 480,491
Elevator. See Hydraulic elevator. Stone crusher elevator.
Elevator, W. N. Anderson 480,543
Elevator, Ewart & Dodge 480,659
Elevator limit stop, T. W. Heermans 480,583
End gate tightener for cars and wagons, A. E. S. Lindsey 480,664
End gate, wagon, Clark & Carrick 480,385
Engine. See Compressing engine. Dental engine. Locomotive steam engine. Petroleum or similar engine. Traction engine.
Exercising apparatus, M. W. Newton 480,371
Extractor. See Ingot extractor. Stopper extractor.
Fabrics, finish or border for the edges of, J. M. Merrow 480,335
Fastening device, J. W. Bankson 480,242
Feed mechanism, slide, F. H. Richards 480,347
Feed water heater and purifier, J. P. Warner 480,534
Felting machine, J. Kittel 480,502
Fence, W. H. Gaskill 480,401
Fence, picket, N. W. Minton 480,270
Fencing machine, slat and wire, J. B. & J. E. Solt 480,301
Fibers for spinning, etc., preparing short, C. Kellner 480,598
Fifth wheel, A. E. Herman 480,403
Firearm, breech-loading, C. Rostel 480,627
Firebox divider, S. L. Pakas 480,276
Fire escape for buildings, G. L. Roberts 480,518
Fireplace back or lining, W. E. Fitch 480,322
Flue cleaner, E. T. Bell 480,653
Folding machine, L. C. Crowell 480,422
Frame. See Awning frame.
Fruit jar, C. L. Wight 480,537
Fuel binder, artificial, Baoyerlin & Hoinig 480,243
Furnace, refining, F. L. Bartlett 480,686
Fumigator, J. T. Phelan 480,694
Furnace. See Smelting furnaces.
Furnace, W. S. Hutchinson 480,327
Furnace, R. R. Zell 480,378
Furnace and attachment therefor, W. S. Hutchinson 480,328
Furnace grate, A. Wilkinson 480,538
Fuse box, electric, G. W. Baumhoff 480,651
Gauge. See Water and steam gauge.
Galvanic battery, H. H. Dow 480,384
Game apparatus, M. H. Gleason 480,662
Gas, apparatus for manufacturing, Collins, Jr., & Knapp 480,248
Gas engines, ignitor for, E. I. Nichols 480,272
Gas generator and heater, combined, P. H. Nelson 480,436
Gas producing apparatus, Collins, Jr., & Knapp 480,249
Gas tubing, attaching tips to flexible, A. Caldwell 480,247
Gate. See End gate.
Gate, J. M. Frost 480,400
Gear, reduction, W. M. Thomas 480,079
Gear wheel, yieldable, B. C. Seaton 480,639
Gearing, F. H. Richards 480,671
Gelatinous food product, R B. Beaumont 480,687
Generator. See Gas generator. Steam generator.
Glass. See Opera or field glass.
Glove, H. H. & W. L. Smith 480,478
Governor, engine, M. A. Green 480,580
Grain sampling machine, J. Bigelow 480,654
Grate bar, sectional, B. A. Ellison 480,568
Guard. See Carriage mud guard.
Gun, breech-loading, D. E. Grant 480,259
Gun stock and cushion plate, extension, Jones & Townsend 480,587
Hair curling machine, J. A. Murphy 480,605
Hame, Johnson & Smith 480,265
Hame fastener, J. H. Snyder 480,633
Hanger. See Picture hanger.
Harvester binder sheaf carrier, Jones & Wedlake 480,468
Harvester, flax, W. Morrow 480,434
Hay loader, Miller & De Vault 480,269
Hay press, hand, W. H. Carse *et al.* 480,382
Heater. See Feed water heater. Hot water heater. Rubber heater.
Heel loading machine, F. F. Raymond, 2d 480,415
Hemp brake, J. O. Ward 480,354
Holder. See Bit holder. Book holder. Line holder. Ribbon holder. Sash holder. Shade holder. Spool holder. Stamp holder. Whip holder.
Hook. See Whiffletree hook.
Horseshoe plug calk, E. P. Noyes 480,611
Horseshoe, sectional, C. H. Doran 480,566
Horses, leg spreader for, J. R Phelps 480,625
Hose clamp, L. H. Redfield ..... 480,513 to 480,515
Hot water heater, W. Kennedy 480,406
Hub, vehicle, A. G. Burrows 480,690
Hydrant, E. J. Bacheider 480,513
Hydraulic elevator, J. E. Barry 480,486
Hydrometer, W. C. Tiffany 480,490
Indicator. See Book indicator. Cash indicator. Circumference indicator.
Ingot extractor, J. F. Lewis 480,433
Ironing machine, W. Phillips 480,377
Jack. See Lifting jack.
Jail bar, L. D. York 480,308
Jail grating, P. J. Pauly, Sr 480,700
Jar. See Fruit jar.
Joint. See Rail joint.
Key fastener, A. C. Mack 480,330
Kiln. See Brick kiln. Drying kiln.
Labels in soap cakes, machine for inserting, A. E. Webb 480,642
Ladder, combination extension, C. P. Bushnell 480,655
Ladder, combination step, C. A. Poland 480,342
Lamp, Patterson & Kirby, Jr 480,412
Lamp, arc, C. Schmid 480,295
Lamp, Argand, F. Rhind 480,373
Lamp burner, T. Hipwell 480,404
Lamp, electric arc, E. A. Sperry 480,525
Lamp, incandescent electric, P. Scharf 480,284
Lamp or lighting device, pocket, E. Kronenberg 480,267
Lamp support, electric arc, A. Wright 480,539
Lamps, supplementary lens for bicycle and carriage, A. L. France 480,661
Lamps, supporting device for electric arc, J. Maier 480,470
Last, extension shoe, J. H. Livermore 480,596
Lathe mandrel, J. H. McGraw 480,435
Lead, desilverizing argentiferous, H. Roessler 480,416
Leggin, M. Scheuer 480,348
Lever, compound, T. A. Briggs 480,450
Lifting jack, A. P. Aiken 480,695
Lifting jack, York & Austin 480,646
Lighting device, E. Kronenberg 480,500
Line holder, D. Sweeney 480,351
Liquid distributing machine, automatic, E. B. Landy 480,598
Lock. See Cylinder lock.
Lock, P. Zimmermann, Jr 480,360
Locomotive steam engine, compound, H. Monk 480,608
Longitude and time, machine for calculating and illustrating, W. W. Hallett 480,267
Loom, Wyman & Clark 480,664
Loom pickers, machine for punching leather, W. Wadsworth 480,419
Low water alarm, electric, E. Rothlisberger 480,673
Lubricator. See Axle lubricator.
Lumber, etc., conveyer for handling, M. Garland 480,496
Mail bag catcher and deliverer, A. P. Hanes 480,385
Mail pouch, expansible hinged mouth, G. F. Windfeilder 480,645
Mailing attachment for books, etc., C. S. Hardy 480,582
Matrix making machine, Beckwith & Street 480,361
Matrix making machines, justifying attachment for, Street & Travis 480,350
Measure, tailor's, I. Geraci 480,579
Meat and vegetable cutter, W. R. Ellis 480,569
Meat mixing apparatus, J. H. Schaefer 480,674
Meter. See Piston meter.
Mill. See Cane mill. Cement mill. Rolling mill.
Mining machine, F. W. Syler 480,418
Mould. See Candy mould.
Moulding machine, W. Edgar 480,706
Moulding machine, F. H. Van Houten 480,444
Mop tub and mop wringer, combined, B. F. Warner 480,300
Motion, device for converting oscillatory into reciprocating, T. A. Briggs 480,449
Musical instrument, C. Bozza 480,315
Musical instruments, mute for, D. Genese 480,578
Newspapers and other publications, preventing fraud in the sale of, L. C. Crowell 480,423, 480,424
Nut lock, G. A. Miller 480,667
Oiler for handsaws, S. Parmele 480,621
Oils, desulphurizing, Amend & Macy 480,511, 480,512
Opera or field glass, E. Luddeckens 480,596
Ore concentrator, C. B. Walker 480,301
Ores containing hydrated sesquioxide of iron, treating, C. Jones 480,405
Package carrier, F. H. Palmer 480,618
Packing, T. W. Welsh 480,643
Pad. See Dental moistening pad.
Pail, pan, wash boiler, etc., T. D. Brown 480,555
Paper feeding machine, T. A. Briggs 480,447
Paper machine drier, T. Lindsay 480,407
Paper, means for preventing spots in, R. W. Allan 480,446
Pen, drawing, F. A. Altenedер 480,541
Pen, fountain, W. W. Stewart 480,294
Pencil case, J. B. Smith 480,479
Pencil sharpener and holder, combined, J. W. Belle 480,547
Petroleum or similar engine, G. W. Weatherhogg 480,535
Phosphate separator and screen washer, G. H. Boaz 480,549
Pianoforte sounding board, C. Brambach 480,488
Piano or organ attachment, J. M. Stukes 480,296
Piano pedal foot, A. H. Hastings 480,696
Picture hanger, E. A. Snow 480,632
Pinch bar, A. M. Collett 480,398
Pinchers, lasting, G. W. Morrill 480,433
Pipe. See Tobacco pipe.
Pipe coupling, G. W. Seeback 480,374
Piston meter, J. A. Myers 480,606
Pitman, P. Y. Barber 480,545
Planter, L. E. Waterman 480,304
Plow, G. W. Swinson 480,637
Plow, rotary, M. T. Hancock (r) 11,257
Pole, vehicle, W. L. Pike 480,510, 480,511
Potassium chlorate, electrolytically producing, E. B. Cutten 480,492, 480,493
Potato digger, Kelly & Howell 480,500
Power machine, manual, W. K. Croford 480,452
Press. See Hay press.
Printing apparatus, Hutt & Phillips 480,467
Printing machines, bed motion for cylinder, L. C. Crowell 480,321, 480,454
Printing press feed machine attachment, T. A. Briggs 480,448
Printing presses, attachment to roll carrying spindles for web, A. A. Houghtlin 480,499
Propulsion of vessels, hydraulic, J. C. Walker 480,536
Protector. See Edge protector.
Pulp, press for forming hollow articles from, E. Hubbard 480,466
Pump, measuring, S. F. & A. Bowser ..... 480,550 to 480,552
Pump, rotary, J. Menge 480,473
Punch and laying-out machine, multiple, C. E. Brown 480,557
Punch, ticket, A. W. Coffin 480,560
Quartz crusher, A. P. Anderson 480,647
Radiator, G. E. Longard 480,597
Rail joint, C. Niles 480,506
Railway, cable, Root & Vineyard 480,519
Railway crossing, adjustable, D. McNamara 480,606
Railway, electric, F. B. Badt 480,543
Railway switch, L. Marchand, Jr 480,601
Railway switch fastening, S. H. Corson 480,320
Railway tracks, circuit closing and breaking device for, T. H. Patenall 480,507
Railways, closed conduit for electric, A. L. Lineff 480,409
Reel. See Bolting reel.
Register. See Cash register.
Regulator. See Windmill regulator.
Respirator, nasal, Midgley & Case 480,505
Ribbon holder, G. H. Brown 480,556
Rolling machine, sheet metal, W. S. Shipe 480,440
Rolling mill, metal, F. Nevegold 480,609
Roofing, machine for joining and rolling sheets for, W. A. List 480,665
Roofs, gutter or valley on, C. C. Meader 480,329
Roundabout, W. Schafer 480,477
Rubber heater, steam, G. W. Meiotte 480,472
Rubber stamps, apparatus for making, J. C. Barton 480,420
Ruling machine, J. Hope 480,498
Sash fastener, E. S. Bennett 480,688
Sash fastener, F. J. Rabbeth 480,343
Sash holder, H. Monday 480,327
Satchel or other receptacle, C. H. Shaw 480,675
Sausage forming and linking machine, Smallfield & Edwards 480,293
Saw, butcher's or bow, H. Hoefer 480,697
Saw set, W. M. Greilick 480,581
Saw, veneer, A. E. Hoffman 480,428
Screen. See Window screen.
Screw driving and washer feeding machine, F. W. Tobey 480,650
Seam pressing frame, F. J. Kellogg 480,589
Separator. See Phosphate separator.
Sewing machine, J. Vannette 480,298
Sewing machine plaiting attachment, J. G. Greene 480,260
Sewing machine quilting attachment, C. W. Delany 480,322
Sewing machine trimmer, Woodward & Timm 480,477
Shade holder, Gennert & Cunningham 480,425
Sheet metal bending machine, J. Clark 480,309
Shutter, fire protecting, W. H. Brodie 480,394
Sign board, interchangeable, I. Emmer 480,255
Sign having ornamental letters or designs in relief formed of a composite material and making the same, E. E. M. Mandigo 480,271
Skate, W. Nielson 480,610
Skirt supporter, G. V. Smith 480,523
Sleigh runner, detachable, C. G. Warner 480,302
Smelting furnace, J. S. Oliver 480,699
Smoke prevenier, C. Smith 480,630
Soldering clamp, can, R. Clark 480,559
Soldering, electric, E. Thomson 480,392
Sole machine, F. A. Bugbee 480,317
Spark arrester, Smith & Sax 480,300
Spool holder and thread cutter, combined, A. Eichhorn 480,455
Stamp holder, postal, B. Pickering 480,509
Stamp, steam power, C. A. Marlitt 480,332
Stand. See Switch stand. Umbrella stand.
Stands, folding base for, S. E. Reutter 480,346
Starch and making the same, perfumed, F. C. Morfolk 480,669
Starching machine, C. T. Ray 480,344
Steam generator, H. C. Fish 480,365
Steam generator, T. L. & T. J. Sturtevant 480,417
Stone, composition of matter for the manufacture of artificial, Keseling & Fuchs, Jr 480,591
Stone crusher elevator, L. P. Cribb 480,490
Stopper extractor, R. Puccini 480,414
Stove, lamp, S. F. Brown 480,395
Stove oil, D. Balsley 480,544
Stovepipe drying rack, L. M. Dowler 480,658
Stove, tile, R. Meyer 480,033
Stove, vapor, H. Ruppel 480,281
Stoves, wick tube for oil, R. Z. Liddle 480,398
Straw and ensilage cutter, C. A. Pottet 480,508
Submarine grapple, Walsh & Dowling 480,640
Supporter. See Skirt supporter.
Switch. See Electric switch. Railway switch.
Switch stand, F. W. Snow 480,676
Table. See Telescope table.
Table leg fastening, L. Welker 480,536
Tanning extracts, making, W. C. Tiffany 480,376
Teaching chemistry, appliance for, J. Osorio 480,275
Telegraph, duplex, T. A. Edison 480,567
Telegraph key, A. E. McClaren 480,475
Telegraph keys, automatic circuit closer for, C. W. Bradford 480,699
Telegraph transmitter, C. Willoughby 480,644
Telephone, J. A. Christy 480,656
Telescope table, Jonas & Bauch 480,398
Thill coupling, J. C. Bailey 480,648
Thill coupling, J. N. Berry 480,244
Thill coupling, R. D. Patton 480,622
Thill support, J. A. Bean 480,652
Thrashing and separating machine, grain, A. B. Farquhar, *et al.* 480,630
Thrashing machine, W. Alpert 480,484
Thrashing machine feeder and cutter, F. Dworshak 480,254
Time systems, method of and apparatus for testing circuits for electric, W. F. Gardner 480,576
Tire, pneumatic, F. Sinclair 480,349
Tire, pneumatic wheel, K. Lehmann 480,505
Tobacco pipe, T. T. Ely 480,570
Tobacco shaver, J. B. Tarr 480,638
Torpedo clip fastening, W. C. Schooley 480,520
Toy, W. R. Park 480,619
Toy, A. A. Robinson 480,279
Traction engine, W. E. Richardson 480,626
Trap. See Animal trap.
Trimmer. See Sewing machine trimmer.
Trousers and similar garments, supporter for, C. S. Rogers 480,672
Truck, motor, J. A. Brill 480,262
Truck, railway car, E. D. Dorchester 480,405
Tub. See Mop tub.
Tubs, waste and overflow connection for cement laundry, Clifford & Gavin 480,628
Tug, hame, N. Siglin 480,629
Type setting machine, Hastings & Foster 480,497
Type writing machine, G. M. Beerbower 480,314
Type writing machine, C. H. Shepard 480,289, 480,290
Type writing machine, W. W. Street 480,677
Type writing machine, G. B. Webb 480,303, 480,304
Type writing machine cleaning attachment, S. Ford 480,257
Umbrella, folding, H. C. Ward 480,482
Umbrella rib, W. L. Uhlenhart 480,353
Umbrella stand, G. R. Davis 480,657
Unicycle, J. Imlah 480,586
Valve for elevators, automatic stop, H. J. Reedy 480,278
Valve for pneumatic tires, E. R. De Wolfe 480,400
Valve gear, W. H. Von Meugeringhausen 480,474
Valve mechanism, steam radiator, L. H. Prentice, *et al.* 480,512
Valve, oil well, H. D. Jones 480,265
Valve, relief, A. S. Thoms 480,538
Valve, reversing, W. Miller 480,604
Vamp marking machine, J. F. Rogers 480,438
Vaporization of liquids, generator for the, L. Serrollet 480,286
Vehicle, C. Comstock 480,421
Vehicle, J. Spifford, Jr 480,442
Vehicle gear, Capwell & Fuller 480,691
Velocipede driving gear, J. Magennis 480,600
Vending machine, coin actuated, W. S. Van Sant 480,639
Veterinary truss, H. Haussmann 480,323
Wagon running gear, J. H. Baker 480,379, 480,380
Washing machine, C. Van Derzee 480,522
Watch chain attachment, J. C. Koch 480,430
Water and steam gauge combined, I. Willan 480,309
Water closet, E. Hammann 480,402
Water closet seat and cover, H. H. Stevert 480,292
Water closets, automatic valve operator for, J. S. Daniel 480,494
Weed exterminator, W. Vreeland 480,300
Wheel. See Fifth wheel. Gear wheel.
Wheel, R. Jewell 480,586
Whiffletree hook, H. E. Harris 480,465
Whip holder, J. E. Woodward 480,356
Windmill regulator, automatic, E. T. Crowe 480,399
Window, R. H. White 480,644
Window screen, H. B. Dodge 480,562
Wire coiling machine, W. Edenborn 480,564, 480,565
Wood carving machine, W. R. Snyder 480,637
Wood, means for ornamenting, C. L. Goehring 480,462
Wood moulding machine, F. H. Van Houten 480,443
Wool washing machine, F. G. & A. C. Sargent 480,283
Wringer. See Clothes wringer.
Wringing machine, J. W. Finegan 480,457

DESIGNS.

Badge, E. Gash 21,786
Box, W. C. Estes 21,763
Brooch pin, T. Tugby 21,759
Carriage body, A. T. Demarest 21,773
Clutch frame, H. W. Hill 21,767
Coffin handle, O. McCarthy 21,775
Coffin plate, O. McCarthy 21,774
Confection, D. E. Mapother 21,760
Corkscrew, C. Puddefoot 21,761
Dental punch, C. E. Blake, Sr 21,771
Knife handle, G. W. Korn 21,766
Knob, door, R. W. E. Christesen 21,769
Lamp burner, F. Rhind 21,770
Match box, C. Osborne 21,768
Roofing tile, G. H. Babcock 21,772
Show case, T. B. Baldwin 21,762
Sink trap, H. C. Montgomery 21,776
Toy rattle, J. A. Crandall 21,764, 21,765

TRADE MARKS.

Absorbent pads, I. D. Allen & Co 21,577
Ammonia alum, N. Waterbury 21,574
Baking powder, C. Amann 21,576
Baking powder, Potter Parlin Company 21,580
Chloride of sodium or common salt, T. Higgin & Co 21,600
Collars and cuffs, waterproof, Celluloid Company 21,573
Complexion cream, M. Van Buren 21,595
Fertilizer, natural and artificial, Durham Fertiliser Company 21,598
Flour, wheat, J. A. Graves & Co 21,582
Gloves, Dunham, Buckley & Co 21,581
Gloves, liquid preparation for cleaning, Glovine Manufacturing Co 21,595
Hooks and eyes, Richardson & De Long Bros 21,787
Lard and its substitutes, W. J. Wilcox Lard and Refining Company 21,603
Liquors except brandy, all spirituous and fermented, J. W. Nicholson & Co 21,571
Meat choppers and presses, Enterprise Manufacturing Company 21,590
Outer and under garments, misses' and children's, I. D. Jaynes 21,570
Paper, envelopes, cards, blank books, and paper badges, B. A. Johnson 21,601
Photographic dry plates, L. H. Baekeland 21,596
Photographic paper plates and chemicals, A. Schwarz 21,572
Remedies, catarrh, O. P. Smith 21,589
Remedy for dog distemper, Taylor & Severance 21,597
Remedy for nervous disorders, W. H. Gannett 21,585
Shirts, linen, N. Hannach 21,569
Smoking pipes, Hirschi & Bendheim 21,578
Soda, bicarbonate of, N. Waterbury 21,575
Stone and its compositions, artificial, Pyrolith Company 21,579
Varnish, picture, G. H. Story 21,588
Varnishes, paints, japans, and analogous materials or compounds, N. Z. Graves & Company 21,594
Veterinary medicines and preparations, S. Pettifer & Son 21,786
Wheelbarrows, metallic, J. C. McNeil Company 21,602
Whisky, Wm. Bergenthal Company 21,594
Wringers, American Wringer Company ..... 21,580 to 21,583

A printed copy of the specification and drawing of any patent in the foregoing list, or any patent in print issued since 1863, will be furnished from this office for 25 cents. In ordering please state the name and number of the patent desired, and remit to Munn & Co., 361 Broadway, New York.

Canadian patents may now be obtained by the inventors for any of the inventions named in the foregoing list, provided they are simple, at a cost of $40 each. If complicated the cost will be a little more. For full instructions address Munn & Co., 361 Broadway, New York. Other foreign patents may also be obtained.

Advertisements.

Inside Page, each insertion - - 75 cents a line
Back Page, each insertion - - - - $1.00 a line

The above are charges per agate line—about eight words per line. This notice shows the width of the line, and is set in agate type. Engravings may head advertisements at the same rate per agate line, by measurement, as the letter press. Advertisements must be received at Publication Office as early as Thursday morning to appear in the following week's issue.

"Star" Foot Lathe Swings 9x35 in.

LATHE

Rivet Cutting Automatic Cross Feed, etc.

Scroll Saws, Circular Saws, Lathes, Mortisers.

Catalogue Free of all our Machinery.

Seneca Falls Mfg. Co. 698 Water St., Seneca Falls, N.Y.

WOODEN TANKS

FOR RAILROAD WATER WORKS, MILLS, FARMS &c. COMPLETE STOCK OF TANKS, TUBS, LUMBER FOR FOUNDATIONS & TOWERS

W. E. CALDWELL & Co. LOUISVILLE, KY.

Improved Screw Cutting Foot and Power LATHES

Drill Presses, Shapers, Band, Circular, and Scroll Saws, Machinists' Tools and Supplies. Lathes on trial. Catalogue mailed on application.

SEBASTIAN LATHE COMPANY, 44-46 Central Ave., Cincinnati, O.

SETS OF CASTINGS OF MODEL ENGINES

CATALOGUES FREE. ALSO TOOLS,

GEAR WHEELS & PARTS OF MODELS

GOODNOW & WIGHTMAN BOSTON

The Sebastian-May Co.

Improved Screw Cutting Foot & Power LATHES

Drill Presses, Chucks, Drills, Dogs, and Machinists' and Amateurs' Outfits. Lathes on trial. Catalogues mailed on application.

165 to 167 Highland Ave., SIDNEY, OHIO.

LIGHTNING WELL-SINKING MACHINERY MANUFACTURERS.

Hydraulic, Jetting, Revolving, Artesian, Diamond Prospecting Tools, Engines, Boilers, Wind Mills, Pumps. Encyclopedia, 1,000 engravings, Earth's Strata, Determination quality water; mailed, 25c.

The American Well Works, Aurora, Ill.

11 & 13 S. Canal St., Chicago, Ill.

Dallas, Texas

"THE SINTZ" GAS AND GASOLINE ENGINES

Stationary and Marine.

Makes its own supply of gas from gasoline, and at less expense than any other engine. *No boiler, coal, or fireman required.* Runs with either manufactured or natural gas. Specially adapted for small boats and launches and electric light work. Circulars free. *Mention this paper.*

CLARK SINTZ, MFR., Springfield, Ohio.

Astronomical Telescopes

of superior defining power,

EYE PIECES, etc.

Manufactured by

W. & D. MOGEY,

63 West 27th Street, New York.

Send for catalogue.

FERTILIZER MACHINERY,

Crushers, Mills, Mixers, Digesters, Dryers, etc

Complete Fertilizer Works designed, erected and started.

C. H. DEMPWOLF & CO., York, Pa.

NICKEL ZUCKER & LEVETT CHEMICAL CO.

OFFICE: 100 GRAND ST. NEW YORK U.S.A.

PLATING

SEND FOR CATALOGUE OF NICKEL & ELECTRO-PLATING SUPPLIES & POLISHING MATERIALS

OUTFITS.

A Great Advertising Medium.

The Architects and Builders Edition of the Scientific American.

(Established 1885.)

This superb architectural work has by far the largest circulation of any periodical of its class. It goes directly into the hands of those who have the ordering of the great bulk of Building Materials and Appliances, namely, the Architects, Builders, Constructing and Sanitary Engineers, Contractors, and House Owners.

The Building Edition of the SCIENTIFIC AMERICAN is unquestionably the very best advertising medium for manufacturers and dealers in Building Materials, Carpenters' Tools, Woodworking Machinery, Heating, Ventilating, Plumbing and Sanitary Appliances, Roofing, Architectural Wood and Metal Work, Builders' Hardware, Doors, Sash, Blinds, Paints, and in fact all goods which enter into or are used in the construction and maintenance of Buildings or works of any kind.

The rates for advertising are moderate. For terms address MUNN & Co. Publishers, 361 Broadway, N. Y.

BEATTY Pianos, Organs, $23 up. Want agents. Catg free. Dan'l F. Beatty, Washington, N.J.

F. A. SINCLAIR'S

Common Sense Chairs, Settees, and Rockers

Are just what their name implies. You cannot buy more sensible, easy seats.

Ask your dealer for them, or send stamp for Catalogue to

F. A. SINCLAIR, MOTTVILLE, Onondaga Co'nty, N. Y.

Fireside Comfort for Two.

Special low freight to all parts of the United States.

BASE BALL.—A DESCRIPTION OF the great national game of the United States, by an English writer, Jno. Newton Crane, with diagram of the field and 7 illustrations of players. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 693. Price 10 cents. To be had at this office and from all newsdealers.



WELL DRILLING MACHINERY,

MANUFACTURED BY

WILLIAMS BROTHERS,

ITHACA, N. Y.,

Mounted and on Sills, for deep or shallow wells, with steam or horse power.

Send for Catalogue.

ADDRESS

Williams Brothers

ITHACA, N. Y.

BERLIN BLUE

VITRIFIED BRICK.

An indestructible product, impervious to water and acids, for room linings and flooring. Especially useful in chemical works for lining Digesters.

NEW YORK BRICK AND PAVING CO., SYRACUSE, N. Y.

SPECIAL NOTICE!

Two handsome photo-engraved display sheets entitled,

"Recent Improvements in Air Compressors,"

"Recent Improvements in Rock Drills,"

mailed free to any one who will cut out this advertisement and mail it to us with his name and address.

INGERSOLL-SERGEANT DRILL CO. No. 10 Park Place, New York, U.S.A.

PERFORATORS OF ALL METALS

For Cotton, Oil and Rice Mills, Sugar Houses, Distilleries, Phosphate and Fertilizer Works, Mining and Concentrating, Gas and Water Works, Elevators, Threshers, Separators, Corn Sheilers, and all kinds of Grain Cleaning Machinery. Heavy Steel and Iron Plates and Cylinders for Screening Ore, Coal, Stone. For Filters, Strainers, Ventilators, Oil, Gas and Vapor Stoves and all special purposes. Special sizes for Coffee Cleaning and Roasting Machinery. Perforated Tin and Brass.

The Harrington & King Perforating Co., Chicago, and 284 Pearl St., N.Y

GAS and GASOLINE ENGINES

STATIONARY and PORTABLE. All Sizes.



Dwarfs in Size, but Giants in Strength.

Expense one cent an hour per horse power and requires but little attention to run them.

Every Engine Guaranteed. Full particulars free by mail Mention this paper

VAN DUZEN

GAS & GASOLINE ENGINE CO. Cincinnati, O.

"ECONOMY IS WEALTH."

Canvassers wanted to sell the New Model Hall Typewriter. Why will people buy a $100 machine when $30 will purchase a better one? Send for illustrated catalogue and terms to County Agents.

Address N. TYPEWRITER CO. 611 Washington Street, Boston, Mass. Mention Scientific American.

EXPERT MODEL MAKING. Established 1857.

J. C. SEYL, Prop. Chicago Model Works, Chicago, Ill., 179 E. Madison St. Write for Catalogue of Model Supplies.

ARTIFICIAL INCUBATION.—A description of the French process of raising chickens. With 7 figures. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 778. Price 10 cents. To be had at this office and from all newsdealers.

Cut this out and send it with your order, and we will send this watch by express for your examination; after you examine it, and find it as represented, pay the express agent $2.25 and express charges and it is yours, otherwise you pay nothing and it will be returned at our expense. This is positively the first Genuine watch ever offered on the face of the earth at this price, and we warrant it a perfect timekeeper. With each watch we send our mammoth catalogue and a lovely gold plated chain and charm free, also a printed guarantee which gives you the privilege of returning the watch at any time within one year if it does not give satisfaction. Address

THE NATIONAL MFG. & IMPORTING CO., 334 Dearborn St., Chicago, Ill.

ROCK DRILLS

AIR COMPRESSORS & GENERAL MACHINERY FOR MINING, TUNNELING, QUARRY & RAILROAD WORK

RAND DRILL Co. 23 PARK PLACE NEW YORK

If you are interested in

ELECTRICITY

send for our special Price List Z.

BELLS, BATTERIES, PUSHES, WIRE, MOTORS,

And a full line of general

ELECTRICAL SUPPLIES,

STANLEY & PATTERSON, Electrical House Furnishings, 32 & 34 Frankfort St., N. Y. City.

ELECTRICITY Amateurs, beginners and all interested in this science need the only paper devoted to its first principles. Illustrated. $1 a Year. 3 Mos. Trial 25c. Sample 10c. Addr. ELECTRICAL PROGRESS and Amateur Electrician, P. 512, Ravenswood, Ill.

The Belknap Little Giant Water Motor

Best Water Motor, most powerful and efficient machine on the market.

Electric Motors and Dynamos.

Combined Water Motors and Dynamos.

Cyclone Coffee Mills for Grocers' use.

Combined Motor and Mill in one case, run by water or electricity.

Write for Circulars.

BELKNAP MOTOR CO., 23 Plum St., Portland, Maine U. S. A.

MALLEABLE AND FINE GRAY IRON ALSO STEEL CASTINGS FROM SPECIAL PATTERN

THOMAS DEVLIN & CO. FINE TINNING JAPANNING AND FINISHING

LEHIGH AVE. & AMERICAN ST. PHILA.

535 PEARL ST. NEW YORK.

MOSS ENGRAVING CO.

Catalogue FINE PRESS WORK SPECIALTY

OUR PROCESSES MOSS TYPE PHOTO ENGRAVING ZINC ETCHING

Our new General Circular "S. A.," showing specimens of all our work, is now ready. Send stamp and particulars for estimates.

Steel Type for Writing Machines,

J. D. MALLONEE, M'f'r, STOCKTON, N. Y.

ALANSON CARY MANUFACTURER OF STEEL SPRINGS OF EVERY DESCRIPTION

240 & 242 W 29TH ST NEW-YORK

FOR RENT, WATER POWER.—Day use of 350 h. p. (night power used for Electric Light plant). Good railroad facilities. Town of 6,000 population. Address Riverside Water Company, Riverside, California.

JENKINS' UPRIGHT CUSHIONED

POWER HAMMER.

Users of this hammer sustain us in saying that it has no equal in all good working qualities. *Perfect cushion* and a *perfect blow*, with *perfect control*. For particulars, address,

Jenkins & Lingle, Bellefonte, Pa.

WANTED—To manufacture on royalty, by a responsible firm, a Patented or Patentable Novelty, salable to wood or iron workers. Address Z. Q. W., Grand Rapids, Mich.

MY WIFE SAYS SHE CANNOT SEE HOW YOU DO IT FOR THE MONEY.

$12 Buys a $65.00 Improved Oxford Singer Sewing Machine; perfect working, adjustable, finely finished, adapted to light and heavy work, with a complete set of the latest improved attachments free. Each machine guaranteed for 5 years. Buy direct from our factory, and save dealers and agents profit. Send for FREE CATALOGUE.

THE SINGER MFG. COMPANY, DEPT. B, 15 CHICAGO, ILL.

DEVELOPMENT OF ELECTRIC Railways.—By Eugene Griffin. An interesting article upon the commercial development of electric railways, with some interesting historical documents. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 823. Price 10 cents. To be had at this office and from all newsdealers.

$98 USE GRINDSTONES?

If so, we can supply you. All sizes mounted and unmounted, always kept in stock. Remember, we make a specialty of selecting stones for all special purposes. *Ask for catalogue.*

The CLEVELAND STONE CO. 24 Floor, Wilshire, Cleveland, O.

INVENTORS' IDEAS put into practical working shape by MILLIKEN & D'AMOUR. Cor. JOHN AND DUTCH STREETS, NEW YORK CITY. *Machinists, Pattern and Model Makers.*

PURE CONDENSED MILK PREPARED IN THE MOHAWK VALLEY-THE FINEST GRAZING COUNTRY IN AMERICA FROM ABSOLUTELY PURE FRESH MILK EVERY PACKAGE GUARANTEED CORRESPONDENCE SOLICITED.—MOHAWK CONDENSED MILK CO. ROCHESTER-N.Y.U.S.A.

BOOKS.

Alkali Maker's Pocket Book. Tables and Analytical Methods for Manufacturers of Sulphuric Acid, Nitric Acid, Soda, Potash and Ammonia. By G. Lunge and P. Hurter. 12mo, cloth. 184 pages.....$3.00

Alloys. Metallic Alloys. A Practical Guide for the Manufacture of all kinds of Alloys, Amalgams and Solders used by metal workers. Translated and revised chiefly from the German of A. Krupp and Andreas Wildberger, with extensive additions by W. T. Brannt. Illustrated by 16 engravings.....$3.00

Alternate Currents, Experiments with. Currents of high potential and high frequency. By Nikola Tesla. 106 pages, 25 illustrations. Cloth.....$1.00

Aluminum. Its History, Occurrence, Properties, Metallurgy and Applications, including its Alloys. By Joseph W. Richards. Illustrated by 25 engravings and two diagrams. Over 500 pages. 8vo.....$5.00

Arithmetic of Electricity. By T. O'Conor Sloane, A.M., E.M., Ph.D. This work gives electric calculations in such a simple manner that it can be used by any one having knowledge of arithmetic. It is absolutely indispensable to the practical electrician as well as to the amateur.....$1.00

Asbestos. Its Properties, Occurrence and Uses. By Robt. H. Jones. With some account of the Mines of Italy and Canada. With eight plates and numerous illustrations. 12mo, cloth.....$5.00

Assayer's Manual. A Treatise on the Docimastic Examination of Ores, Furnace and other Products. By Bruno Kerl. 8vo, cloth. Illustrated. 351 pages.$3.00

Astronomy. Star Groups: a Student's Guide to the Constellations. By J. E. Gore. Small 4to. 30 star maps, cloth.....$2.00

The Atlantic Ferry. Its Ships, Men and Working. By Arthur J. Maginnis. Illustrated. 1892.$2.00

Batteries. Secondary Batteries. Being a description of the modern applications for the storage of electrical energy. By J. T. Niblett. One vol., 12mo. 200 pages. Illustrated. 1892.....$1.50

Blacksmithing. Practical Blacksmithing. A collection of articles contributed at different times by skilled workmen to *The Blacksmith and Wheelwright*, and covering nearly the whole range of Blacksmithing, from the simplest job of work to some of the most complex forging. Compiled and edited by M. T. Richardson, editor of *The Blacksmith and Wheelwright*. Illustrated.
Volume I.....$1.00
Volume II. of same.....1.00
Volume III. of same.....1.00
Volume IV. of same.....1.00

Blasting. A Handbook for the Use of Engineers and others engaged in Mining. By O. Guttman. 8vo, 190 pages.....$3.50

Bookbinding, The Art of. By J. W. Zaehnsdorf. London, 1890. 12mo. 200 pages. Illustrated. Plates. Cloth.....$1.75

Brass and Iron Founder's Guide. A Treatise on Brass Founding, Moulding, the Metals and their Alloys, etc. By James Larkin, late conductor of the Brass Foundry Department in the Penn Works, Philadelphia. A new revised and greatly enlarged edition. In one volume, 12mo. 400 pages.....$2.50

Brewing. A Textbook of the Science of. By E. R. Moritz and G. H. Morris. 534 pages. Plates and illustrations. Cloth.....$7.50

Bricks, Tiles and Terra Cotta. By C. T. Davis. Philadelphia, 1892. 8vo. 217 illustrations. 500 pages. Cloth.....$5.00

Business. One Hundred Lessons in Business, including Figures, Fractions, Discount, Interest, Checks, Short Cuts in Figures, and hundreds of valuable points for use in daily business transactions.....$1.00

Cabinet Making. The Art and Craft of Cabinet Making. A Practical Handbook to the Construction of Cabinet Furniture. By David Denning. With 219 illustrations. 320 pages. 12mo. Cloth.....$1.50

Casting and Pounding. By R. H. Stretson. 8vo. 413 pages. 82 fine plates, drawn to scale. Cloth.$6.00

Colliery Manager's Handbook. A Comprehensive Treatise on the Laying-out and Working of Collieries. By Caleb Pamely. Medium 8vo. 600 pages. With nearly 500 illustrations.....$10.00

Compound Locomotives. By Arthur T. Woods. 12mo. Illustrated. 167 pages.....$2.00

Concrete, Natural and Artificial. Its Varieties and Constructive Adaptations. By H. Reid. 8vo. Plate. 264 pages. 97 illustrations. Cloth.....$6.00

Dictionary, Standard Electrical. By T. O'Conor Sloane, Ph.D. 8vo. 566 pages. Illus. Cloth.....$3.00
A new dictionary of terms in electrical science and allied branches. The definitions cover the meaning and scope of terms, the electrical constants of all conductors and dielectrics, wire gauge tables and elaborately revised or newly calculated tables of equivalents. The work aims to be the most complete and reliable ever published. Synonyms are given after each title. Cross references are freely used. The work really constitutes a cyclopedia of the science.

Dynamos. Dynamos and Electric Motors, and all about them. 100 illustrations. 12mo, cloth. By Edward Trevert.....50

Dynamo. How to Make a Dynamo. A Practical Treatise for Amateurs. Containing numerous illustrations and detailed instructions for constructing a small dynamo to produce the electric light. By Alfred Crofts. 12mo, cloth. London. Second edition.....80

Dynamo-Electric Machinery. By Silvanus P. Thompson, D.Sc., B.A., F.R.S. Fourth edition. One large 8vo volume, revised and rewritten, with about 1,000 pages of text, profusely illustrated, and 20 plates.$9.00

Dynamometers and the Measurement of Power. A Treatise on the Construction and Application of Dynamometers. With a Description of the Methods and Apparatus employed in Measuring Water Power. By John J. Flather. New York, 1892....$2.00

Electric Bells and All About Them. A Practical Book for Practical Men. By S. R. Bottone. Cloth. 180 pages. 56 illustrations.....50

Electro Deposition. A Practical Treatise on the Electrolysis of Gold, Silver, Copper, Nickel and other Metals and Alloys. With Descriptions of Voltaic Batteries, Magneto and Dynamo Electric Machines, Thermopiles, and of the Materials and Processes used in every department of the Art, and several chapters on Electro-Metallurgy. By Alexander Watt. With numerous illustrations. Third edition, revised, corrected and enlarged.....$3.50

Electrical Engineering, for Electric Light Artisans and Students. With 347 illustrations. 321 pages. By W. Slingo and A. Brooker. Thick 12mo, cloth.$3.50

Electrical Instrument Making for Amateurs. A Practical Handbook. By S. R. Bottone. Cloth. 175 pages. 50 illustrations.....50

Electric Light Cables and the Distribution of Electricity. By Stuart A. Russell, A.M.I.C.E. With over 100 illustrations. 12mo.....$2.25

Electric Lighting, A Guide to. For Householders and Amateurs. By S. R. Bottone. With many illustrations.....75

Electromagnet. Lectures on the Electromagnet. By Silvanus P. Thompson, D.Sc., B.A., F.R.A.S. 1891. .....$1.00

Electricity Simplified. The aim of this book is to present in concise form the modern theories of electricity. By illustrations of original design and scope, and by mechanical analogies, the subject is made exceedingly simple. 1892. 12mo. 160 pages. 28 illustrations. Cloth.....$1.00

Electric Toy Making, Dynamo Building, and Electric Motor Construction. This work treats of the making at home of Electrical Toys, Electrical Apparatus, Motors, Dynamos and Instruments in general. The numerous illustrations make easy the carrying out of the work. By T. O'Conor Sloane, A.M., E.M., Ph.D. 1892.....$1.00

Electrical, The, Engineer's Pocketbook of Modern Rules, Formula Tables and Data. By H. R. Kempe. Cloth. 248 pages. 50 illustrations.....$2.00

FREE.

Our entirely new Catalogue of Scientific and Technical Books, containing over 3,000 titles, and embracing more than 200 different subjects, with authors' index, will be mailed free on application to any address in the world. Address

MUNN & CO., Publishers of the "Scientific American," 361 Broadway, New York.

Founded by Mathew Carey, 1785.

HENRY CAREY BAIRD & CO.
Industrial Publishers, Booksellers, and Importers,
810 Walnut St., Philadelphia, Pa., U. S. A.

☞ Our new and Revised Catalogue of Practical and Scientific Books, 88 pages, 8vo, and our other Catalogues and Circulars, the whole covering every branch of Science applied to the Arts, sent free and free of postage to any one in any part of the world who will furnish his address.

DEAFNESS & HEAD NOISES CURED
by Peck's Invisible Tubular Ear Cushions. Whispers heard. Successful when all remedies fail. Sold only by F. Hiscox, 853 B'way, N.Y. Write for book of proofs. **FREE**

PELTON WATER WHEEL

Gives the highest efficiency of any wheel in the world. Simple and reliable, adapted to every variety of service, with heads of 20 feet and upward. Write for circulars.
The Pelton Water Wheel Co.
121A Main St., San Francisco, Cal.; or 23 Central Building, Liberty and West Streets, New York.

LIFE SAVING DEVICES.—A COLlection of suggestions of devices for communicating between the shore and stranded vessels, offered to the London *Daily Graphic* by various correspondents. With 7 illustrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, Nos. **848, 849, 850, 851, 852, 854** and **861**. Price 10 cents each, or 70 cents for the series. To be had at this office and from all newsdealers

THE BEST LOOSE PULLEY OILER IN THE WORLD.
VANDUZEN PAT. L. PUL. OILER
Keeps Pulley oiled 3 to 4 weeks with one filling. Cost 25, 30, 40, 50, 65 and 85 cents each. Send Price and **TRY ONE.** State diameter and speed of Pulley. Will send Catalogue free. Mention this paper.
The VANDUZEN & TIFT CO. Cincinnati, O. U.S.A.

SPECIAL NOTICE!

To The Wheeler & Wilson Mfg. Co., its Agents and all Others.

You are hereby notified that the undersigned are the owners of Letters Patent of the United States for REVOLVING HOOK MACHINE, No. 419,863, dated January 21st, 1890, which is a new and useful improvement in Bobbin Covers and Slide Rings for Sewing Machines. Any person who makes, uses or sells a Revolving Hook Machine, consisting of a Bobbin Cover and Slide Ring, made in accordance with our said patent, without our authority, infringes our rights under the said patent.

We have brought suit, for infringement of the abovenamed patent, against the agent of the Wheeler & Wilson Mfg. Co., at St. Louis, in the U. S. Circuit Court for the Eastern Division, of the Eastern Judicial District of Missouri.

We desire to notify you of these facts, in order that you may be fully advised of our rights in the premises.

JOHN T. CORN,
ANTHONY MILLER.

WATER WHEELS JAMES LEFFEL & CO., SPRINGFIELD, OHIO, U.S.A.
Send for our fine large PAMPHLET.

FOOT POWER LATHES

For Electrical and Experimental Work.
For Gunsmiths & Tool Makers. For General Machine Shop Work.
High Grade Tools; elegant in design, superior in construction. The best foot power lathes made, and quality considered, the cheapest. *Send for catalogue and prices.*
W. F. & JOHN BARNES CO., 1999 Ruby St., Rockford, Ill.

DUST! DUST!

Gibbs Patent **Dust Protector**
protects the nose and mouth from inhaling poisonous dust. Invaluable in every industry where dust is troublesome. Perfect protection with perfect ventilation. Inhalation of dust causes catarrh, consumption and many other serious disorders. Thousands in use. Price $1.00, postpaid in U. S. and Canada; $1.40 to foreign points.
Gibbs Respirator Co.,
31 La Salle St., Chicago.

DEFIANCE MACHINE WORKS.
DEFIANCE, OHIO, U.S.A.
BUILDERS OF
HUB, SPOKE, WHEEL, BENDING, WAGON, CARRIAGE AND HOOP MACHINERY.
SEND FOR CATALOGUE.

TO BUSINESS MEN

The value of the SCIENTIFIC AMERICAN as an advertising medium cannot be overestimated. Its circulation is many times greater than that of any similar journal now published. It goes into all the States and Territories, and is read in all the principal libraries and reading rooms of the world. A business man wants something more than to see his advertisement in a printed newspaper. He wants circulation. This he has when he advertises in the SCIENTIFIC AMERICAN. And do not let the advertising agent influence you to substitute some other paper for the SCIENTIFIC AMERICAN, when selecting a list of publications in which you decide it is for your interest to advertise. This is frequently done for the reason that the agent gets a larger commission from the papers having a small circulation than is allowed on the SCIENTIFIC AMERICAN.

For rates see top of first column of this page or address MUNN & CO., Publishers,
361 Broadway, New York.



NO SKILLED ENGINEER.
THE SHIPMAN AUTOMATIC STEAM ENGINE.
KEROSENE OIL FUEL. 1, 2, 4, 6 and 8 HORSE POWER
No extra Insurance. Efficient, Economical, Durable.
SHIPMAN ENGINE COMPANY,
200 SUMMER STREET, BOSTON MASS.

STEEL TYPE FOR TYPEWRITERS

Stencils, Steel Stamps, Rubber and Metal Type Wheels, Dies, etc.
Model and Experimental Work. Small Machinery, Novelties, etc., manufactured by special contract.
New York Stencil Wks. 100 Nassau St., N. Y

VANDUZEN STEAM JET PUMP
THE BEST IN THE WORLD.
Pumps Any Kind of Liquid.
Always in Order, never Clogs nor freezes. Every Pump Guaranteed.
10 SIZES.
200 to 12000 Gallons per Hour. Cost $7 to $75 each. Address
THE VANDUZEN & TIFT CO.,
102 to 108 E. Second St., Cincinnati, O.

ELECTRO MOTOR, SIMPLE, HOW TO make. By G. M. Hopkins.—Description of a small electro motor devised and constructed with a view to assisting amateurs to make a motor which might be driven with advantage by a current derived from a battery, and which would have sufficient power to operate a foot lathe or any machine requiring not over one man power. With 11 figures. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. **641**. Price 10 cents. To be had at this office and from all newsdealers.

—FOR—
FREE SITES TO SUBSTANTIAL MANUFACTURING ENTERPRISES
in the rapidly growing towns of Virginia and West Virginia, possessing CHEAP IRON, CHEAP LUMBER, CHEAP FUEL, and RAILROAD FACILITIES, address J. H. DINGEE, 23 Walnut Street, Philadelphia, Pa., President and General Manager of numerous Land Companies situated along the lines of the Norfolk & Western Railroad.

GATES ROCK & ORE BREAKER

Capacity up to 200 tons per hour.
Has produced more ballast, road metal, and broken more ore than all other Breaks combined.
Builders of High Grade Mining Machinery. Send for Catalogues.
GATES IRON WORKS,
50 C So. Clinton St., Chicago
136 C, Liberty Street, New York.
237 C, Franklin St., Boston, Mass

Useful Books!

Manufacturers, Agriculturists, Chemists, Engineers, Mechanics, Builders, men of leisure, and professional men, of all classes, need good books in the line of their respective callings. Our post office department permits the transmission of books through the mails at very small cost. A comprehensive catalogue of useful books by different authors, on more than fifty different subjects, has recently been published for free circulation at the office of this paper. Subjects classified with names of authors. Persons desiring a copy have only to ask for it, and it will be mailed to them. Address,

MUNN & CO., 361 Broadway, New York.

FOR SALE—Saw Set Patent, dated August 9th, 1892. A new and improved saw set, which is simple and durable in construction, and very effective in operation. Will set carpenters' hand saws, scroll saws, or any kind of saw to ¼ inch wide. Tool is provided with simple devices for adjusting the punch out or in from edge of bed. Weight of tool complete, 1¾ lbs. It is composed of all castings except the four keys and plates to adjust arm and punch; these are cut with a die. There is no drill work, neither screws about tool, and no need of polishing. This saw set has been highly endorsed by carpenters who have used it. A complete working model, of full size, furnished to those buying rights in the patent.
For terms and particulars, address the inventor,
WILLIAM M. GREILICK,
SUTTON'S BAY, MICH.

BICYCLE TO BOYS AND GIRLS UNDER 16 YEARS OF AGE, ON EASY CONDITIONS WITHOUT ONE CENT OF MONEY. Western Pearl Co., 806 Dearborn St., Chicago, Ill. **FREE**

ELECTRIC MINING APPARATUS,
Need for our new Catalogue.
ELECTRIC MINE LOCOMOTIVES
ELECTRIC VENTILATING FANS
ELECTRIC HOISTS & ELEVATORS
ELECTRIC COAL CUTTERS.
Need for our new Catalogue.
THOMSON-VAN DEPOELE ELECTRIC MINING COMPANY,
622 ATLANTIC AVENUE, BOSTON, MASS. 173-175 ADAMS STREET, CHICAGO, ILL.

STOP BILLING! Use Depue's Patent Combined Ledgers, Sales and Billing Books. Most perfect labor-saving system extant. No matter how long or numerous your bills, they are always ready for your customers. Send for descriptive price list. Agents wanted. Mention *Scientific American*. Address J. E. DEPUE, 320 Dearborn Street, Chicago, Ill.

ALUMINUM
In all shapes. Manufactured by
Cowles Electric Smelting and Aluminum Co.,
Correspondence solicited. LOCKPORT, N. Y.

OIL WELL SUPPLY CO.
91 & 92 WATER STREET,
Pittsburg, Pa.,
Manufacturers of everything needed for
ARTESIAN WELLS
for either Gas, Oil, Water, or Mineral Tests, Boilers, Engines, Pipe, Cordage, Drilling Tools, etc. Illustrated catalogue, price lists and discount sheets on request.

FRUITFUL INVESTMENTS
A new form of 8 per cent. Investment, based on irrigated fruit lands of Colorado. Guaranteed by National Bank. For full particulars address
THE DELTA COUNTY FRUIT LANDS CO. DENVER, COLO.

FOR SALE or to manufacture on royalty, the valuable patent, No. 480,136, dated August 2, 1892, on Shutter Bower, see page 122. For particulars, address Herman Reichwein, Villa Park, N. J.

The Shimer Cutter Heads
45,000 SOLD.
To work Car Siding, Flooring and Ceiling and Ship Lap; to Mould Doors, Sash and Blinds. Cope Heads to match.
Sam'l J. Shimer & Sons,
Centre St., Milton, Pa.

MAHOGANY
And all Fancy Woods.
TEAK FOR YACHTS, SPANISH CEDAR FOR SHELLS, etc.
THE E. D. ALBRO CO.
Eastern Branch, 200 Lewis Street, Ft. E. 6th St., New York, U. S. A.
H. T. BARTLETT, Mg'r. F. W. HONERKAMP, Ass't Mg'r.
(Mills, Cincinnati, O.)

CHUCKS. Catalogue No. 13, just issued with over 60 new illustrations sent free. Address,
The Cushman Chuck Co., Hartford, Conn.

ARTESIAN
Wells, Oil and Gas Wells, drilled by contract to any depth, from 50 to 3000 feet. We also manufacture and furnish everything required to drill and complete same. Portable Horse Power and Mounted Steam Drilling Machines for 100 to 1,000 feet. Write us stating exactly what is required and send for illustrated catalogue. Address
PIERCE ARTESIAN & OIL WELL SUPPLY CO.,
80 BEAVER STREET, NEW YORK.

A SALESMAN traveling in the South wishes some good paying article for a side line, on commission only. Address E. H., room 10, 96 Fifth Ave., N. Y. City.

Pneumatic Tire Bicycles.
Every One Guaranteed.
Send for Catalogue.
Agents Wanted.
KIRKWOOD, MILLER & CO.
16 South St., Peoria, Ill.

LIFE OF AN ANT.—BY E. A. BUTter. An entertaining paper on the life of an ant from the egg to the mature state. With an account of the curious habits of these insects. With 4 illustrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. **857**. Price 10 cents. To be had at this office and from all newsdealers.

CLARK'S
W03L WASHERS.
WARP DYEING AND SIZING MACHINES.
PATENT RUBBER COVERED SQUEEZE ROLLS.
POWER WRINGERS FOR HOSIERY AND YARN DYEING.
DRYING AND VENTILATING FANS,
WOOL AND COTTON DRYERS, Etc.
Catalogues free.
GEO. P. CLARK
Box L. Windsor Locks, Conn.

THE CRANDALL PACKING CO.
MANUFACTURERS OF
CRANDALL'S PATENT PACKINGS,
IMPROVED FOR STEAM, WATER & AMMONIA.
BRANCH OFFICES
NEW YORK 136 LIBERTY ST.
CHICAGO 24 SOUTH CANAL ST.
MAIN OFFICE & WORKS
PALMYRA N.Y.

SEWING MACHINE MOTOR FOR AMAteurs.—By C. D. Parkhurst. Description of a very simple and effective motor, with laminated armature, of sufficient power to actuate a sewing machine. With 11 engravings. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. **759**. Price 10 cents. To be had at this office and from all newsdealers.

SCHOOL OF ENGINEERING,
OHIO STATE UNIVERSITY, - - Columbus, Ohio.
Four year courses are provided in Civil, Mechanical, Electrical and Mining Engineering. Each Department is well equipped with appliances for instruction.
A Catalogue giving full information will be sent on application.

PROPOSALS.

NOTICE TO ARCHITECTS.

THE Honorable the Chief Commissioner of Lands and Works hereby invites Architects to submit, on or before the 30th September next, (competitive) plans and estimates of cost for the construction of certain Provincial Government Buildings.
Particulars of competition and further information can be obtained from the undersigned.
W. S. GORE,
Deputy Commissioner of Lands & Works.
Lands and Works Department,
Victoria, B. C., 16th June, 1892.

U. S. ENGINEER OFFICE, ARMY BUILDING, NEW YORK, August 4, 1892.—Sealed proposals for the construction or sale of a Hydraulic Dredging Steamer for New York Harbor will be received at this office until 12 m. September 13, 1892, and then publicly opened. Specifications, blank forms, and all available information will be furnished on application to this office.
G. L. GILLESPIE, Lieut.-Col. of Engineers.

U. S. ENGINEER OFFICE, BOSTON, MASS., August 3, 1892.—Sealed proposals for removal of ledge from the Merrimac River, Mass., will be received at this office until noon, September 5, 1892, and then publicly opened. Specifications, blank forms, and all available information will be furnished on application to this office. S. M. MANSFIELD, Lieut.-Col. of Engineers.

U. S. ENGINEER OFFICE, BOSTON, MASS., August 5, 1892.—Sealed proposals for the delivery of rubblestone in the breakwater at Sandy Bay, Cape Ann, Mass., will be received at this office until noon, September 9, 1892, and then publicly opened. Specifications, blank forms, and all available information will be furnished on application to this office. S. M. MANSFIELD, Lieut.-Col. of Engineers.

U. S. ENGINEER OFFICE, BOSTON, MASS., August 5, 1892.—Sealed proposals for the delivery of rubblestone in the north jetty at Newburyport Harbor, Mass., will be received at this office until noon, September 9, 1892, and then publicly opened. Specifications, blank forms, and all available information will be furnished on application to this office. S. M. MANSFIELD, Lieut.-Col. of Engineers.

U. S. ENGINEER OFFICE, BOSTON, MASS., August, 5, 1892. Sealed proposals for dredging in Kingston Harbor, Mass., will be received at this office until noon, September 6, 1892, and then publicly opened. Specifications, blank forms, and all available information will be furnished on application to this office.
S. M. MANSFIELD, Lieut.-Col. of Engineers.

U. S. ENGINEER OFFICE, BOSTON, MASS., August 5, 1892.—Sealed proposals for eighteen thousand (18,000) bbls. American hydraulic cement, delivered at Fort Warren, Mass., will be received at this office until September 6, 1892, and then publicly opened. Specifications, blank forms, and all available information will be furnished on application to this office. S. M. MANSFIELD, Lieut.-Col. of Engineers.

U. S. ENGINEER OFFICE, BOSTON, MASS., August 6, 1892. Sealed proposals for dredging from Manchester Harbor, Mass., will be received at this office until noon, September 7, 1892, and then publicly opened. Specifications, blank forms and all available information will be furnished on application to this office.
S. M. MANSFIELD, Lieut.-Col. of Engineers.

U. S. ENGINEER OFFICE, BOSTON, MASS., August 8, 1892. Sealed proposals for dredging in Weymouth River, Mass., will be received at this office until noon, September 8, 1892, and then publicly opened. Specifications, blank forms, and all available information will be furnished on application to this office.
S. M. MANSFIELD, Lieut.-Col. of Engineers.

U. S. ENGINEER OFFICE, BOSTON, MASS., August 8, 1892. Sealed proposals for dredging from the channel leading to Nantasket Beach, Boston Harbor, Mass., will be received at this office until noon, September 8, 1892, and then publicly opened. Specifications, blank forms, and all available information will be furnished on application to this office.
S. M. MANSFIELD, Lieut.-Col. of Engineers.



Improvement on Our Little Wonder, of which over 1000 are in use

NICKEL AND ELECTRO-PLATING
Apparatus and Material.
THE Hanson & Van Winkle Co.
Newark, N. J.
81 LIBERTY ST., N. Y.
23 S. CANAL STREET, CHICAGO.

HAVE YOU READ
Experimental Science?

This new book, by Geo. M. Hopkins, is just what you need to give you a good general knowledge of Physical Science. No one having the spirit of the times can afford to be without the kind of scientific information contained in this book. It is not only instructive, but entertaining.



Over 700 pages; 600 fine cuts; substantially and beautifully bound. Price by mail, $4.00.
☞ *Send for illustrated circular.*
MUNN & CO., Publishers,
Office of the SCIENTIFIC AMERICAN,
361 BROADWAY, NEW YORK.

WORKING MODELS & LIGHT MACHINERY. INVENTIONS DEVELOPED. Send for Model Circular. Jones Bros. E. Co., Cin'ti. O.

Advertisements.

Inside Page, each insertion - - 75 cents a line
Back Page, each insertion - - - - $1.00 a line

The above are charges per agate line—about eight words per line. This notice shows the width of the line, and is set in agate type. Engravings may head advertisements at the same rate per agate line, by measurement, as the letter press. Advertisements must be received at Publication Office as early as Thursday morning to appear in the following week's issue.

Victors

OVERMAN WHEEL CO.
BOSTON. WASHINGTON. DENVER. SAN FRANCISCO.
A. G. SPALDING & BROS., Special Agents,
CHICAGO. NEW YORK. PHILADELPHIA.

THE AMERICAN BELL TELEPHONE CO.
95 MILK ST., BOSTON, MASS.

This Company owns the Letters Patent granted to Alexander Graham Bell, March 7th, 1876, No. 174,465, and January 30th, 1877, No. 186,787.

The transmission of Speech by all known forms of Electric Speaking Telephones infringes the right secured to this Company by the above patents, and renders each individual user of telephones not furnished by it or its licensees responsible for such unlawful use, and all the consequences thereof, and liable to suit therefor.

Industrial, Manufacturing, and Uncurrent
SECURITIES DEALT IN.
WORDEN & FANSHAWE,
9 WALL ST., NEW YORK.

"Old things have passed away."

The new *quick-winding* Waterbury watch requires about five seconds to wind. It is cased in coin-silver, and gold filled, cases.

Stem-set, and jeweled movement, make it a perfect timepiece. Far better than any cheap Swiss watch.

It is still a low-priced watch, but never "given away."

Every jeweler sells it in various designs, both for ladies and gentlemen.

PATENTS!

MESSRS. MUNN & CO., in connection with the publication of the SCIENTIFIC AMERICAN, continue to examine improvements, and to act as Solicitors of Patents for inventors.

In this line of business they have had *forty-five years' experience*, and now have *unequaled facilities* for the preparation of Patent Drawings, Specifications, and the prosecution of Applications for Patents in the United States, Canada, and Foreign Countries. Messrs. Munn & Co. also attend to the preparation of Caveats, Copyrights for Books, Labels, Reissues, Assignments, and Reports on Infringements of Patents. All business intrusted to them is done with special care and promptness, on very reasonable terms.

A pamphlet sent free of charge, on application, containing full information about Patents and how to procure them; directions concerning Labels, Copyrights, Designs, Patents, Appeals, Reissues, Infringements, Assignments, Rejected Cases. Hints on the sale of Patents, etc.

We also send, *free of charge*, a Synopsis of Foreign Patent Laws, showing the cost and method of securing Patents in all the principal countries of the world.

MUNN & CO., Solicitors of Patents.
361 Broadway, New York.

BRANCH OFFICES.—No. 622 and 624 F Street, Pacific Building, near 7th Street, Washington, D. C.

H. W. JOHNS'

Asbestos Sectional Pipe Coverings.

Non-Conducting Coverings for Steam and Hot Water Pipes, Boilers, etc.
READILY ATTACHED OR REMOVED BY ANY ONE.
ASBESTOS BOILER COVERINGS.
We are prepared to take contracts for applying Steam Pipe and Boiler Coverings in any part of the United States.
H. W. JOHNS MANUFACTURING COMPANY,
H. W. Johns' Asbestos Millboard, Sheathings, Building Felts, Fire-Proof Paints, Liquid Paints, Asbestos Roofing, Etc.
87 MAIDEN LANE, N. Y. JERSEY CITY, CHICAGO, PHILADELPHIA, BOSTON, ATLANTA, LONDON.

KODAKS.

Regular, Junior, Folding, Daylight, Ordinary — 14 styles and sizes for the season of 1892, $6.00 to $65.00.

Latest improvements, registers for exposures; glass plate attachments; daylight loading, etc., etc. *Send for catalogue.*

THE EASTMAN COMPANY,
ROCHESTER, N. Y.



SAWS Wanted 50,000 Sawyers and Lumbermen to send us their full address for a copy of Emerson's 17th Book of SAWS, new 1892 edition. We are first to introduce NATURAL GAS for heating and tempering Saws with wonderful effect upon improving their quality and toughness, enabling us to reduce prices. Address EMERSON, SMITH & CO. (Limited), Beaver Falls, Pa. **SAWS**

DO U SEEK POWER?
We can supply it with the
Motor of the 19th Century



¾ to 70 horse power.
Cost about one cent an hour to each indicated horse power.
"In words, not size, my value lies."
What others think of me is stated in catalogue.
CHARTER GAS ENGINE CO.
P. O. Box 148, Sterling, Ill.

"Improvement the order of the age."
THE SMITH PREMIER TYPEWRITER

Important Improvements.
All the Essential Features greatly perfected
The Most Durable in Alignment.
Easiest Running and Most Silent.
All type cleaned in 10 seconds without soiling the hands
The Smith Premier Typewriter Co., Syracuse, N. Y., U. S. A.
Send for Catalogue.

RAINMAKERS IN THE UNITED States.—A full account of the operations in the production of rain recently carried out under Federal appropriations in Texas. One illustration. Artificial rain making. By Prof. E. J. Houston. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 824. Price 10 cents. To be had at this office and from all newsdealers.

METALLIC PATTERN MOLDING LETTERS FOR PATTERN MAKERS TO PUT ON PATTERNS FOR CASTING. H. W. KNIGHT & SON SENECA FALLS, N.Y.

BICYCLES ON EASY PAYMENTS
No extra charge. All makes new or 2d hand. Lowest price guaranteed. Largest stock and oldest dealers in U. S. Cats. free. Agts. wanted. *Pope, Hazard & Co., 15 & 97 St., Peoria, Ill.*

DENSMORE.

"The world's greatest Typewriter." A trial will prove it.
Highest Standard, Simplicity, Strength, Durability, High Speed, Easy Action, Permanent Alignment, Standard Keyboard and Most Convenient.
FOR CATALOGUE AND TESTIMONIALS APPLY TO
DENSMORE TYPEWRITER CO., 202 BROADWAY, NEW YORK.

COMPTOMETER. Figures all Examples. Key operated. Rapid. Accurate. Relieves mental strain. Send for Circular. F. E. T. Mfg. Co., 52-56 Illinois St. Chicago.

THE PREMIER CAMERA

IS THE BEST IN MARKET.
Simple of Manipulation.
Plates or Films are used.
The Shutter is always set.
PRICE $18.00.
Send for Catalogue and copy of Modern Photography.
WE MAKE ALL KINDS OF CAMERAS.
ROCHESTER OPTICAL COMPANY,
14 S. Water St., ROCHESTER, N. Y.

THE **"GARFIELD"**
Locomotive Injector, Automatic Injector, Double Jet Injector and Ejector.

Double Jet Injector.

Best Boiler Feeders known for Hot or Cold Water Lifting or taking water under pressure. *Send for Price List.*
The Garfield Injector Co., Mfs.
P. O. Box 60, WADSWORTH, OHIO

FOR ALL MEN.
Seven ages of men cycle—Few too old, few too young—all the world will cycle next year—better begin this year—of course you'll ride the guaranteed Columbia.
Finest cycling catalogue free at Columbia agencies, by mail for two 2-ct. stamps. Pope Mfg. Co., Boston, New York, Chicago.

THE ARMSTRONG MACHINES,
For Cutting Off and Threading Pipe.

For Hand or Power.
No. 1 cuts off and threads 1 to 3 inch.
No. 2 cuts off and threads 1 to 4 inch.
No. 3 cuts off and threads 1 to 6 inch.
Our aim is to make these machines as good as our Stocks and Dies, which are universally acknowledged to be THE BEST. Send for catalogue.
THE ARMSTRONG MFG. CO., Bridgeport, Ct.

Edison General Electric Company
THE EDISON SYSTEMS OF
Incandescent Lighting, Street Railways and Transmission of Power
—ARE THE—
SAFEST—MOST RELIABLE—BEST.
OUR ELECTRIC LAMP SIGNS ARE A GREAT COMMERCIAL INNOVATION.
BRANCH OFFICES:

44 Broad Street	New York.
60 Arch Street	Philadelphia, Pa.
44-46 Sibley Street	St. Paul, Minn.
Masonic Temple	Denver, Colo.
	San Francisco, Cal.
23 Atlantic Avenue	Boston, Mass.
175 and 177 Adams Street	Chicago, Ill.
204 West Fourth Street	Cincinnati, O.
Gould Building	Atlanta, Ga.
15 First Street	

GRAVES PASSENGER & FREIGHT ELEVATORS.

TANITE Emery, Emery Wheels, Emery Whetstones, Grinding Machines, Knife Sharpeners, Knife Grinders.
The Tanite Co.,
STROUDSBURG, PA.
181 WASHINGTON ST., NEW YORK.

TRENTON IRON Co. TRENTON N.J. **STEEL MUSIC WIRE** EQUAL TO THE BEST IMPORTED NEW YORK COOPER, HEWITT & CO.

NEW MAIL $100

Cushion Tires, Tangent Spokes With Pneumatic Tires, $120
Also $135 and $150 patterns.
" Lady's pattern . . . $100
" Boy's New Mail 60
Handsomest and best Diamond Safety. *Send for Catalogue and Second-Hand List.*
Wm. Read & Sons, 107 Washington St. Boston.

THE
SCIENTIFIC AMERICAN

ESTABLISHED 1846.
The Most Popular Scientific Paper in the World
Only $3.00 a Year, Including Postage.
Weekly—52 Numbers a Year.

This widely circulated and splendidly illustrated paper is published weekly. Every number contains sixteen pages of useful information and a large number of original engravings of new inventions and discoveries, representing Engineering Works, Steam Machinery, New Inventions, Novelties in Mechanics, Manufactures, Chemistry, Electricity, Telegraphy, Photography, Architecture, Agriculture, Horticulture, Natural History, etc. Complete list of patents each week.

Terms of Subscription.—One copy of the SCIENTIFIC AMERICAN will be sent for *one year*—52 numbers—postage prepaid, to any subscriber in the United States, Canada, or Mexico, on receipt of **three dollars** by the publishers; six months, $1.50; three months, $1.00.

Clubs.—Special rates for several names, and to Post Masters. Write for particulars.

The safest way to remit is by Postal Order, Draft, or Express Money Order. Money carefully placed inside of envelopes, securely sealed, and correctly addressed, seldom goes astray, but is at the sender's risk. Address all letters and make all orders, drafts, etc., payable to
MUNN & CO., 361 Broadway, New York.

THE
Scientific American Supplement

This is a separate and distinct publication from THE SCIENTIFIC AMERICAN, but is uniform therewith in size, every number containing sixteen large pages full of engravings, many of which are taken from foreign papers and accompanied with translated descriptions. THE SCIENTIFIC AMERICAN SUPPLEMENT is published weekly, and includes a very wide range of contents. It presents the most recent papers by eminent writers in all the principal departments of Science and the Useful Arts, embracing Biology, Geology, Mineralogy, Natural History, Geography, Archæology, Astronomy Chemistry, Electricity, Light, Heat, Mechanical Engineering, Steam and Railway Engineering, Mining, Ship Building, Marine Engineering, Photography, Technology, Manufacturing Industries, Sanitary Engineering, Agriculture, Horticulture, Domestic Economy, Biography, Medicine, etc. A vast amount of fresh and valuable information obtainable in no other publication.

The most important Engineering Works, Mechanisms, and Manufactures at home and abroad are illustrated and described in the SUPPLEMENT.

Price for the SUPPLEMENT for the United States and Canada, $5.00 a year; or one copy of the SCIENTIFIC AMERICAN and one copy of the SUPPLEMENT, both mailed for one year for $7.00. Single copies, 10 cents. Address and remit by postal order, express money order, or check.
MUNN & CO., 361 Broadway, New York.

Building Edition.

THE SCIENTIFIC AMERICAN ARCHITECTS' AND BUILDERS' EDITION is issued monthly. $2.50 a year. Single copies, 25 cents. Forty large quarto pages, equal to about two hundred ordinary book pages; forming a large and splendid Magazine of Architecture, richly adorned with *elegant plates in colors*, and with other fine engravings; illustrating the most interesting examples of modern architectural construction and allied subjects.

A special feature is the presentation in each number of a variety of the latest and best plans for private residences, city and country, including those of very moderate cost as well as the more expensive. Drawings in perspective and in color are given, together with full Plans, Specifications, Sheets of Details, Estimates, etc.

The elegance and cheapness of this magnificent work have won for it the **Largest Circulation** of any Architectural publication in the world. Sold by all newsdealers. $2.50 a year. Remit to
MUNN & CO., Publishers.
361 Broadway, New York.

PRINTING INKS
The SCIENTIFIC AMERICAN is printed with CHAS. ENEU JOHNSON & CO.'S INK, Tenth and Lombard Sts., Philadelphia, and 47 Rose St., corner Duane, New York